


# SHARP

2004-2005

## ELECTRONIC DICTIONARIES, ELECTRONIC CALCULATORS, AND ORGANIZERS

Electronic Dictionaries  
Electronic Organizers  
Scientific Calculators  
Printing Calculators  
Super Check & Correct  
Office Calculators  
Personal Calculators




<http://sharp-world.com/calculator/>  
<http://sharp-world.com/organizer/>

# SHARP

## SHARP INNOVATIONS CONTINUALLY WRITE NEW CHAPTERS INTO THE PAGES OF HISTORY.

Forty years ago, SHARP gave the world its first electronic desktop calculator, now on display at the National Museum of Science & Industry as an innovative milestone. Succeeding generations carry on this trailblazing spirit, generating a remarkable stream of SHARP original creations.



1964

Development of the world's first electronic desktop calculator incorporating ICs.

World's 1st



### ► SHARP'S HISTORY WITH CALCULATORS AND ORGANIZERS

1964

1966

1969

1973

World's 1st



Development and mass production of the world's first all-transistor desktop calculator.

World's 1st



Marketing of the world's first electronic calculator incorporating ELSIs.

World's 1st



Development and introduction of the world's first super-thin (1.6 mm) card-sized calculator.

SINCE THE INTRODUCTION OF THE FIRST ELECTRONIC DESKTOP CALCULATOR,  
SHARP HAS LED THE WAY IN THE FIELD OF CALCULATOR TECHNOLOGY.  
A HISTORY OF SUPERIOR ENGINEERING, ADVANCED FUNCTIONS, AND  
INNOVATIVE TECHNOLOGIES HAS MADE SHARP CALCULATORS AND  
ORGANIZERS THE CHOICE IN ALL FIELDS, THE WORLD OVER.

AND THIS YEAR, WE CELEBRATE 40 YEARS SINCE THE DEVELOPMENT OF ONE  
OF OUR MANY ORIGINAL CREATIONS: THE WORLD'S FIRST ALL-TRANSISTOR  
DESKTOP CALCULATOR.

Development of  
the world's first  
COS electronic  
LCD calculator.



1979

Development and  
introduction of electronic  
organizer (Personal  
Information Tool).



1988




Development and  
introduction of scientific  
calculators with  
Advanced D.A.L. for  
educational market.

Development and  
introduction of  
graphing calculator  
with a touch screen for  
educational market.




1997

World's  
1st



2002



2004

40th  
Anniversary  
OF OUR ORIGINAL  
World's First  
SHARP

# We've Got the Right Answer for You!

## GUIDE TO SYMBOLS



Display illuminates for easy use in dark or poor lighting conditions.



Synchronisation of your organizer and PC  
PIM data allows for easy one-step integration.



Exchange data and files between your organizer and your PC with the optional PC-Link software.



Displays information and guidance in one of several selectable languages. (See p.9.)



The telephone file has a nameable directory. Stored telephone numbers are displayed with other information.



The e-mail file has a nameable directory. Stored e-mail addresses are displayed with other information.



Name, web address (URL) and remarks are stored for quick retrieval.



The monthly calendar shows which days you have activities scheduled for each month, making long-term planning easy. (See p.9.)



See the entire week's scheduled activities. Enter appointments by day.



The memo function is ideal for structuring and organising ideas within an overview of topics.



Enter important dates in the Anniversary mode.



The customisable clock displays home and world times, including daylight saving time (summer time) on a 12- or 24-hour basis.



The conversion mode lets you convert currencies or measurements by simply touching a button.



Store items and prioritise them on the To Do list.



Record financial transactions and view each type of payment and its total for every time period in the Expense mode.



Built-in games turn the pocket databook into an entertainment centre.



English/Spanish word translator.



Check the spelling of English words against suggested matches.



The Diet Function uses the built-in pedometer to keep track of calories burned. It also helps you to calculate your daily caloric intake.



Lets you conveniently select items from the menu screen.



Keys for basic functions are on one side, while keys for advanced functions are on the other. (See p.10.)



Displays equations as they are written. (See p.11.)



Use slide shows to help demonstrate lessons. (See p.11.)



Durable hard case protects calculator from damage.



Features easy key-in for algebraic equations. (See p.14.)



Allows users to check the equation and answer at the same time. (See p.14.)



Recalls any of the last 142 steps. (See p.14.)



Eliminates the need to re-enter the constant when doing repeated calculations. (See p.14.)



Allows the previous answer to be used in the next calculation. (See p.14.)



Allows you to easily find the answer to derivative calculations. (See p.14.)



Allows you to easily find the answer to integral calculations. (See p.14.)



Formulas or equations can be stored to simplify calculations. (See p.14.)



For easier reading of long, multi-digit numbers, "," or ";" is inserted for each group of three digits.



Enables quick input of a keystroke, even if you still have a finger on the previous key.



Batteries provide back-up to solar power when light source is interrupted.



Includes handy wallet cover for extra protection and easy storage.



Easy-to-read large digital display reduces eye strain, preventing errors.



Automatically calculates the total sum of amounts generated.



Adjustable angle for personal preference.



Fixed angle to ensure optimum readability.



Allows answer to be used in following equation.



Raises calculator to an ideal operating angle for easier data entry.



Resumes operations after the Auto Power-Off Function has taken effect. (See p.21.)

### Resume Function



Resume Function plus Line Counter and Condition Symbol. (See p.21.)

### Resume Plus Function



An "OK" sign appears when the calculation being checked matches the result of the first. (See pp.18 & 21.)



Calculates average of inputted data.



Calculates prices with or without taxes. (See pp.18 & 21.)

### Tax Calculation



Determines the number of days and a specific date from inputted dates. (See p.21.)



Printed report is easy to read with red ink used for negative.



Characters are illuminated for improved readability.



Recalls the last 102 actions performed. (See p.18.)

### 102-Step Memory



Automatically reviews the entire calculation. (See p.18.)

### Auto Replay



Changes incorrectly inputted data. (See p.18.)



Inserts new data. (See p.18.)



Deletes unwanted data. (See p.18.)



Enters the same values repeatedly. (See p.18.)



Calculates the amount to be returned from a payment. (See p.18.)

### Change Calculation



3 rates can be converted easily with the touch of a button.



Easy conversion of units such as currencies, based on an adjustable rate set by the user.



Fits easily in the palm of your hand.



Quick and convenient calculation of cost, selling price and margins; ideal for business transactions.



Easy conversion into and out of metric measurements with just the touch of a button.



Easy-to-read large blue display.



Comes with attached hard cover for extra protection and durability.



Long-life plastic buttons.

# CONTENTS

## Electronic Dictionaries



PW-E500

NEW • PW-E500

NEW • PW-E300

P5

Electronic  
Dictionaries

## Electronic Organizers



ZQ-P20H

NEW • ZQ-590A

NEW • ZQ-290H

• ZQ-270P

• ZQ-190P

NEW • ZQ-P20H

• EL-6990P

• ZQ-P10

• EL-6910

• EL-6053S

P7

Electronic  
Organizers

## Scientific Calculators



EL-9900

- Graphing
- Standard
- Programmable
- Financial

• EL-9900

NEW • EL-506W(BK/WH)

NEW • EL-520W(BK/WH)

NEW • EL-531WH(BK/BL/WH)

NEW • EL-509W(BK/WH)

• EL-510R

NEW • EL-501W(BK/WH)

• EL-5120

• EL-735

• EL-733A

P10

Scientific  
Calculators

## Printing Calculators



CS-4194HC

- Desktop
- Semi-Desktop
- Hand-Held

NEW • CS-4194HC

NEW • EL-2630P<sup>II</sup>

NEW • EL-2607P

NEW • EL-1607P

• EL-2910R

• EL-2902C

• EL-2901RH

• EL-1801C

• EL-1750P

• EL-1611P

P15

Printing  
Calculators

## Super Check & Correct



EL-792C

- Semi-Desktop
- Nice Size
- Mini Nice Size

- EL-792C
- EL-782C
- EL-771C

P17

Super Check  
& Correct

## Office Calculators



EL-2125C

- Desktop/Semi-Desktop
- Nice Size
- Mini Nice Size

- CS-2122H
- CS-2130
- EL-6138
- EL-2135
- EL-2125C
- EL-2128R
- EL-2139S

• EL-338F

• EL-387R

• EL-337C

• EL-339S

• EL-421M

• EL-334F

• EL-332A

• EL-331A/330A

• EL-310A

NEW • EL-M711G

NEW • EL-M710G

NEW • EL-M700G

P19

Office  
Calculators

## 12/14 Digit Calculators



EL-145A

- Nice Size
- Mini Nice Size
- Hand-Held/Hard Cover

- NEW • EL-145A
- NEW • EL-125A
- NEW • EL-144A
- NEW • EL-124A
- NEW • EL-143S
- NEW • EL-123S

P23

12/14 Digit  
Calculators

## Personal Calculators



EL-480S

- Wallet/Hand-Held
- Hard Cover
- Card

- EL-480S
- EL-344G
- NEW • EL-W211G
- EL-327S
- EL-326S
- EL-379S

- EL-377S
- EL-371S
- NEW • EL-W200G
- EL-250S
- EL-240SA
- EL-231L




- EL-233S
- EL-376S
- EL-243S
- EL-879M

P24

Personal  
Calculators

# ELECTRONIC DICTIONARIES

All the Word Power You Need




159 dots  
by  
80 dots

NEW

## PW-E500

- Power source: LR03 (AAA) x 1
- Dimensions: 125 (W) x 79.4 (D) x 16.8 (H) mm  
4-29/32" x 3-1/8" x 21/32"
- Weight: Approx. 148 g



159 dots  
by  
80 dots


NEW

## PW-E300

- Power source: LR03 (AAA) x 1
- Dimensions: 125 (W) x 79.4 (D) x 16.8 (H) mm  
4-29/32" x 3-1/8" x 21/32"
- Weight: Approx. 148 g


## Included Dictionaries

### Oxford Dictionary of English




Based on Oxford's vast corpus of contemporary English, the *ODE* has been fully revised to give the most authoritative, up-to-date picture of English today. Comprising 355,000 words, phrases, and definitions — including 3,000 new words and senses, 73,000 scientific and technical words and senses, 68,000 examples, and 12,000 encyclopedic entries — the *ODE* puts a goldmine of knowledge at your fingertips.

### New Oxford Thesaurus of English



The *NOTE* presents 600,000 alternative and opposite words, with example phrases to convey meanings. Along with synonyms and antonyms, it also lists related words and provides explanations of often-confused words. A vital tool for all those who care about making their language more varied, interesting, and precise.

### The Oxford Dictionary of Quotations



*The ODQ\** is Oxford's largest quotations dictionary, with over 20,000 quotations from books, films, newspapers, and speeches. *The ODQ* contains comprehensively indexed quotations from around 3,000 historical figures, including authors, politicians, scientists, and artists. Whether you're writing an essay or preparing a speech or presentation, this is one resource you can't afford to be without.

\* *The Oxford Dictionary of Quotations* is included in the PW-E500 model only.

## Convenient Functions


### Filter Search

As you are typing in a word to search, a list of potential target words appears on-screen. You can find your target or compound word faster, with fewer keystrokes.




### Phrase Search

With the PW-E series e-dictionaries, you aren't limited to searching only for single-word entries. Using the Phrase Search, you can search for idioms and phrasal verbs by specifying up to three keywords.




### Super Jump

This function lets you jump directly from the definition of one word to the definition of another. Super Jump returns matching entries from both the *Oxford Dictionary of English* and *New Oxford Thesaurus of English* databases.




### Quick View

Many dictionary entries have multiple definitions. The Quick View feature displays the first line of each definition, giving you an easy-to-browse summary.



### Zoom Key

With the Zoom key, you can maximise either readability or quantity of information on the display. A single keystroke changes the character size from the default 12-dot to 9-dot vertical pixel resolution.



- Crossword Solver
- Anagram Solver
- Spellcheck Function
- Converter Function
- History Function


# ELECTRONIC ORGANIZERS

## Flexible Organizers to Meet Your Day-to-Day Needs

80 dots  
by  
111 dots

8MB  
Flash Memory

BackLight  
(Included)



Microsoft® Outlook®\* Synchronise Capability

**NEW**



Includes USB PC-Link cable and software\*\*

English model only

### ZQ-590A

- Power source: LR03 (AAA) x 1
- Dimensions: 70.8 (W) x 118 (D) x 13.5 (H) mm  
2-25/32" x 4-21/32" x 17/32"
- Weight: Approx. 115 g
- Microsoft® Outlook®\* Synchronisation
- Microsoft® Outlook® E-mail Download\*\*\*

\* An English version of Microsoft® Outlook® 98/2000/2002/2003 must be installed to utilize the synchronisation software.

\*\* The PC Software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me/XP Home/XP Professional.

\*\*\* File attachments cannot be downloaded. Text viewer only.

111 dots  
by  
48 dots

256KB

Flash Memory

BackLight

PC Link

(Included PC-Link Kit)



Includes PC-Link Kit (PC-Link cable with serial port connector and software)\* for simple backup

### ZQ-270P


- Power source: CR2032 x 3
- Dimensions (closed): 154 (W) x 92.5 (D) x 13 (H) mm  
6-1/16" x 3-21/32" x 1/2"
- Weight: Approx. 125 g

\* The PC-Link software is intended to run on a PC with an English version of Microsoft® Windows® 98/2000 Professional/Me.

14-Column  
by  
5-Line

1.5MB Equivalent\*\*  
Flash Memory

BackLight  
(Included)



Microsoft® Outlook®\* Synchronise Capability

**NEW**



Includes USB PC-Link cable and software\*\*\*

English model only

### ZQ-290H

- Power source: CR2032 x 2 (Main/Backlight)
- Dimensions: 71.6 (W) x 112.5 (D) x 16.9 (H) mm  
2-13/16" x 4-7/16" x 21/32"
- Weight: Approx. 105 g
- Microsoft® Outlook®\* Synchronisation

\* An English version of Microsoft® Outlook® 98/2000/2002/2003 must be installed to utilize the synchronisation software.

\*\* Memory at 1.5MB equivalent. Approx. 7,000 telephone names & numbers can be stored by using compression technology at a compression rate of approx. 1.5:1. (Names & numbers — including home, office, fax, and mobile — are 14 characters per entry, and addresses are 38 characters per entry.)

\*\*\* The PC Software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me/XP Home/XP Professional.

19-Column  
by  
5-Line

256KB

BackLight

PC Link

(Included PC-Link Kit)



Includes PC-Link Kit (PC-Link cable with serial port connector and software)\* for simple backup

### ZQ-190P

- Power source: CR2032 x 2 (Main), CR2032 x 1 (Backup)
- Dimensions (closed): 148 (W) x 92 (D) x 13 (H) mm  
5-13/16" x 3-5/8" x 1/2"
- Weight: Approx. 125 g

\* The PC-Link software is intended to run on a PC with an English version of Microsoft® Windows® 95/98/2000 Professional.




**12-Column  
by  
3-Line**

**1MB  
Flash Memory**

**BackLight**

**Multi-Language**



**Microsoft® Outlook®\* Synchronise Capability**

**NEW**

**PC PIM  
Syncro**  
(Included)



## ZQ-P20H

- Power source: CR2032 x 2 (Main/Backlight)
- Dimensions: 69.8 (W) x 109.3 (D) x 16.3 (H) mm  
2-3/4" x 4-5/16" x 21/32"
- Weight: Approx. 104 g

\* An English version of Microsoft® Outlook® 98/2000/2002/2003 must be installed to utilize the synchronization software.

\* The PC Software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me/XP Home/XP Professional.

**12-Column  
by  
3-Line**

**96KB Equivalent\***

**Multi-Language**



## ZQ-P10

- Power source: CR2032 x 1
- Dimensions: 64 (W) x 97 (D) x 14.8 (H) mm  
2-17/32" x 3-13/16" x 19/32"
- Weight: Approx. 72 g

\* Memory at 96KB Equivalent. Approx. 1,500 telephone names & numbers (name, telephone and fax number are 14 characters per entry) can be stored by using compression technology. (Compression Rate Approx. 1.5:1)

**14-Column  
by  
5-Line**

**256KB  
Flash Memory**

**BackLight**

(Included)  
PC Link Kit



## EL-6990P

- Power source: CR2032 x 1 (Main), CR2032 x 1 (Backlight)
- Dimensions (closed): 143 (W) x 88 (D) x 13.3 (H) mm, 5-5/8" x 3-15/32" x 17/32"
- Weight: Approx. 111 g

\* The PC-Link software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me.



**3-Line  
12-Letter  
24-Number**

**64KB**

**Multi-Language**



## EL-6910

- Power source: CR2032 x 1
- Dimensions (closed): 143 (W) x 88 (D) x 13.3 (H) mm  
5-5/8" x 3-15/32" x 17/32"
- Weight: Approx. 105 g



**3-Line  
12-Letter  
24-Number**

**8KB**

**Multi-Language**



## EL-6053S


- Power source: CR2025 x 1
- Dimensions (closed): 128 (W) x 86.6 (D) x 12.7 (H) mm  
5-1/16" x 3-3/8" x 1/2"
- Weight: Approx. 87 g



# ELECTRONIC ORGANIZERS


## Synchronise with Microsoft® Outlook®\* (ZQ-590A, ZQ-290H, ZQ-P20H)

- Synchronise contact information with your PC.
- Synchronisation of contact information is automatic when you connect the ZQ-590A to your PC.



## Backup and Restore Data (ZQ-270P, ZQ-190P, EL-6990P)

- Backup and restore data between your PC and organizer.



## Calendar Function (ZQ-590A, ZQ-290H, ZQ-270P, ZQ-190P, EL-6990P)

MON TUE WED THU FRI SAT SUN

4 - 2005

|    |    |    |    |    |      |                                  |
|----|----|----|----|----|------|----------------------------------|
|    |    |    | 1  | 2  | 3    | Schedule<br>To Do<br>Anniversary |
| 4  | 5  | 6  | 7  | 8  | 9-10 |                                  |
| 11 | 12 | 13 | 14 | 15 | 16   | 17                               |
| ▼  | 18 | 19 | 20 | 21 | 22   | 23 24                            |

\* An English version of Microsoft® Outlook® 98/2000/2002/2003 must be installed to utilize the synchronisation software.

\*\* The PC software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me/XP Home/XP Professional.

\*\*\* The PC-Link software is intended to run on a PC with an English version of the following software: Microsoft® Windows® 98/2000 Professional/Me (ZQ-270P); Microsoft® Windows® 95/98/2000 Professional (ZQ-190P); and Microsoft® Windows® 98/98SE/2000 Professional/Me (EL-6990P).

## Multi-Language Guidance Message (ZQ-P20H, ZQ-P10, EL-6910, EL-6053S)

### 7-Language

(EL-6910, EL-6053S)

English, German, Spanish,  
French, Italian, Portuguese,  
Dutch

### 10-Language

(ZQ-P20H, ZQ-P10)

English, German, Spanish,  
French, Italian, Portuguese,  
Czech, Greek\*, Hungarian,  
Polish

\* Only capitalized letters can be entered in Greek Mode.

## Multiple Converter (All models)

Metric conversions and currency conversions are installed. Specified currencies and exchange rates can be customised.

(N.B. Number of conversion functions varies depending on the model.)

inch → cm  
2.54

EURO → USD  
199.99

OZ → g  
28.3495

## Diet Function (ZQ-290H, ZQ-P20H)



21-3-2005  
CALORIE Kcal  
12.773  
STEP  
150.  
(ZQ-290H display)

- Use the built-in pedometer to keep track of calories burned by walking.
- Record and calculate your daily intake of calories and carbohydrates, along with other nutritional data, using the downloadable food database on the included CD-ROM. (N.B. Only the ZQ-290H handles other nutritional data.)
- Compare with previous records of calories taken in or burned.

The unit may not count steps correctly if you:

- Walk at an irregular pace, or in a crowded place.
- Shuffle legs excessively.
- Wear sandals when walking.
- Vary your movement (play sports, for example).
- Move up/down excessively.
- Are in a vehicle with vertical and horizontal motions.
- Attach the unit improperly (tilted, for example).




# SCIENTIFIC CALCULATORS

## A Graphing Calculator that Makes Learning and Teaching Easier



### Equation Editor

The Equation Editor displays equations as they would appear in a textbook, providing improved comprehension for students.




Note: The EL-9900 can also switch to conventional one-line editing.




### Slide Show

Lesson preparations are made easy with the Slide Show function. By utilising slide shows, teachers can easily demonstrate lessons to the class, using the cursor to move between slides.



Select a slide show for a presentation.




Move forward/backward between the slides.


## Peripheral Devices for EL-9900

### OHP System

EL-99T



### PC-Link Kit



CE-LK2

PC-Link Software\*




Link Cable

IBM® PC

\*The PC software is intended to run on a PC with an English version of Microsoft® Windows® 98/98SE/2000 Professional/Me/XP Home/XP Professional.


### Set-to-Set Communication Cable



### Data Collection System



Requires PC-Link Cable (included in PC-Link Kit, CE-LK2).




Data Logger\*

\*Either Vernier's LabPro® or ImTech's DataLab® can be used as a data logger.  
Vernier® <http://www.vernier.com/>  
ImTech® <http://firmwaresystems.com/>

## EL-9900 Homepage

For more information on the EL-9900, please go to the following page:




<http://sharp-world.com/products/calculator/product/graphing/9900.html>

N.B. This homepage is subject to being updated, so appearance may vary.

## New Calculator Homepage

The newly redesigned Sharp scientific calculator homepage is even more convenient than before. Along with detailed information about each model in our line-up, you'll find Flash-based demonstrations of the calculators' unique features and a variety of handy downloads for educational use.



### Available Downloads Include:

- Classroom Materials
- Programme Resources
- Guide Books
- Key Symbols for Textbooks
- Illustrations for OHPs

<http://sharp-world.com/products/calculator/index.html>

## STANDARD

ADVANCED D.A.L.

Upper: 12-Digit  
Lower: 10+2-Digit

469 functions

D.A.L.

F1-F3  
F2-F4

2-Line

3-DIGIT PUNCTUATION


2 KEY ROLL-OVER

a<sup>±</sup>K=X  
b<sup>±</sup>K=Y  
c<sup>±</sup>K=Z


A+B=C  
✓C=D

d/dX

ʃ dX



NEW



EL-506W(BK)

- Matrix/list calculations
- Constant/chain calculations
- Multi-line playback
- Solver function
- Matrix function
- Sturdy, stylish design

## EL-506W(BK/WH)

- Power source: Twin power (Solar & LR44 x 2)
- Dimensions: 79.6 (W) x 154.5 (D) x 13.2 (H) mm  
3-1/8" x 6-3/32" x 17/32"
- Weight: Approx. 97 g

ADVANCED D.A.L.

Upper: 12-Digit  
Lower: 10+2-Digit

272 functions

D.A.L.

F1-F3  
F2-F4



2-Line

3-DIGIT PUNCTUATION

2 KEY ROLL-OVER

a<sup>±</sup>K=X  
b<sup>±</sup>K=Y  
c<sup>±</sup>K=Z

A+B=C  
✓C=D



EL-531WH(BK)

NEW

EL-531WH(WH)

EL-531WH(BL)

- Constant/chain calculations
- Multi-line playback
- Sturdy, stylish design

## EL-531WH(BK/BL/WH)

- Power source: R6 (AA) x 1
- Dimensions: 79.6 (W) x 154.5 (D) x 18.2 (H) mm  
3-1/8" x 6-3/32" x 23/32"
- Weight: Approx. 110 g

ADVANCED D.A.L.

Upper: 12-Digit  
Lower: 10+2-Digit

419 functions

D.A.L.

F1-F3  
F2-F4

2-Line

3-DIGIT PUNCTUATION


2 KEY ROLL-OVER

a<sup>±</sup>K=X  
b<sup>±</sup>K=Y  
c<sup>±</sup>K=Z

A+B=C  
✓C=D

d/dX

ʃ dX



EL-520W(WH)

NEW



EL-520W(BK)

- Constant/chain calculations
- Multi-line playback
- Solver function
- Sturdy, stylish design

## EL-520W(BK/WH)

- Power source: Twin power (Solar & LR44 x 2)
- Dimensions: 79.6 (W) x 154.5 (D) x 13.2 (H) mm  
3-1/8" x 6-3/32" x 17/32"
- Weight: Approx. 97 g

ADVANCED D.A.L.

Upper: 12-Digit  
Lower: 10+2-Digit

272 functions

D.A.L.

F1-F3  
F2-F4


2-Line

3-DIGIT PUNCTUATION

2 KEY ROLL-OVER


a<sup>±</sup>K=X  
b<sup>±</sup>K=Y  
c<sup>±</sup>K=Z

A+B=C  
✓C=D



EL-509W(WH)

NEW



EL-509W(BK)

- Constant/chain calculations
- Multi-line playback
- Sturdy, stylish design

## EL-509W(BK/WH)

- Power source: LR44 x 2
- Dimensions: 79.6 (W) x 154.5 (D) x 13.2 (H) mm  
3-1/8" x 6-3/32" x 17/32"
- Weight: Approx. 95 g

# SCIENTIFIC CALCULATORS

## STANDARD

ADVANCED D.A.L.


11-Digit

160 functions

D.A.L.

$a \pm K = X$   
 $b \pm K = Y$   
 $c \pm K = Z$

$A + B = C$   
 $\sqrt{C} = D$




- Constant/chain calculations
- Equation display

## EL-510R

- Power source: LR44 x 2
- Dimensions: 71.5 (W) x 124 (D) x 9.5 (H) mm  
2-13/16" x 4-7/8" x 3/8"
- Weight: Approx. 57 g

## EL-531WH/531W/509W OHP Calculator



\*Comprehensive calculation capability with same key operations and layout as EL-531WH/531W/509W.

- Number of functions: 272
- Power source: CR2032 x 1
- Dimensions: 120 (W) x 210 (D) x 10 (H) mm  
4-23/32" x 8-9/32" x 13/32"
- Weight: Approx. 370 g

## FINANCIAL

Upper: 12-Digit  
Lower: 10 + 2-Digit



3-DIGIT PUNCTUATION



- Constant/chain calculations
- Compound interest calculation
- Bond calculation

## EL-735

- Power source: CR2016 x 1
- Dimensions:  
69 (W) x 132 (D) x 7.8 (H) mm  
2-23/32" x 5-3/16" x 5/16"
- Weight: Approx. 69 g (excluding wallet)



10(8+2)-Digit

131 functions

D.A.L.

$a \pm K = X$

$b \pm K = Y$

$c \pm K = Z$

$A + B = C$

$\sqrt{C} = D$



EL-501W(WH)



EL-501W(BK)

## EL-501W(BK/WH)

NEW

- Power source: LR44 x 2
- Dimensions: 78.6 (W) x 144 (D) x 11.6 (H) mm  
3-3/32" x 5-21/32" x 15/32"
- Weight: Approx. 75 g

## PROGRAMMABLE

14 + 2-Digit  
by 3-Line

1,211 Steps

242 functions

D.A.L.



- Programmable up to 1,211 steps
- Solver function

## EL-5120

- Power source: CR2025 x 1
- Dimensions: 76 (W) x 145 (D) x 9.8 (H) mm  
3" x 5-23/32" x 3/8"
- Weight: Approx. 77 g

10-Digit




3-DIGIT PUNCTUATION



- Constant/chain calculations
- Compound interest calculation

## EL-733A

- Power source: LR44 x 2
- Dimensions:  
76 (W) x 143 (D) x 8.5 (H) mm  
3" x 5-5/8" x 11/32"
- Weight: Approx. 110 g (including wallet)





# PRINTING CALCULATORS

Wide Lineup Covering All Printing Needs

## DESKTOP

- 14-Digit
- 2-Memory
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- 2-COLOUR PRINT
- ±TAX



### CS-4194HC

- Printing speed: **4.3** lines/sec.
- Power source: AC only
- Dimensions: 250 (W) x 345 (D) x 78 (H) mm  
9-27/32" x 13-19/32" x 3-1/6"
- Weight: Approx. 2,000 g

- 12-Digit
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- AVG
- 2-COLOUR PRINT
- ±TAX



### EL-2607P

- Printing speed: **Approx. 4.3** lines/sec.
- Power source: AC only
- Dimensions: 222 (W) x 327 (D) x 78 (H) mm  
8-3/4" x 12-7/8" x 3-1/16"
- Weight: Approx. 1,900 g

- 12-Digit
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- 2-COLOUR PRINT
- ±TAX



### EL-2910R

- Printing speed: 3.0 lines/sec.
- Power source: AC only
- Dimensions: 221 (W) x 305 (D) x 72 (H) mm  
8-11/16" x 12-1/16" x 2-27/32"
- Weight: Approx. 1,300 g

- 12-Digit
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- Rate Converter
- Avg
- 2-COLOUR PRINT
- ±TAX



### EL-2630P II

- Printing speed: **Approx. 4.8** lines/sec.
- Power source: AC only
- Dimensions: 228 (W) x 336 (D) x 78 (H) mm  
8-31/32" x 13-7/32" x 3-1/16"
- Weight: Approx. 1,900 g

- 12-Digit
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- Rate Converter
- 2-COLOUR PRINT
- ±TAX



### EL-1607P

- Printing speed: 3.0 lines/sec.
- Power source: AC only
- Dimensions: 220 (W) x 303 (D) x 71.5 (H) mm  
8-21/32" x 11-15/16" x 2-27/32"
- Weight: Approx. 1,300 g

- 12-Digit
- BackLight
- L<sub>CD</sub> DISPLAY
- GT FUNCTION
- 2-COLOUR PRINT
- ±TAX



### EL-2902C

- Printing speed: 3.0 lines/sec.
- Power source: AC only
- Dimensions: 200 (W) x 251 (D) x 62 (H) mm  
7-27/32" x 9-7/8" x 2-7/16"
- Weight: Approx. 950 g

**12-Digit****LARGE DISPLAY****GT FUNCTION****2-COLOUR PRINT****±TAX****EL-2901RH**

- Printing speed: 2.1 lines/sec.
- Power source: AC only
- Dimensions: 193 (W) x 256 (D) x 62.5 (H) mm  
7-19/32" x 10-3/32" x 2-15/32"
- Weight: Approx. 1,000 g

**SEMI-DESKTOP****12-Digit****LARGE DISPLAY****2-COLOUR PRINT****±TAX****EL-1801C**

- Printing speed: 2.1 lines/sec.
- Power source: DC/AC (AA x 4, AC adapter optional)
- Dimensions: 170 (W) x 231 (D) x 57.5 (H) mm  
6-11/16" x 9-15/16" x 2-1/4"
- Weight: Approx. 580 g

**12-Digit****LARGE DISPLAY****2-COLOUR PRINT****±TAX****EL-1750P**

- Printing speed: Approx. 1.6 lines/sec.
- Power source: DC/AC (AA x 4, AC adapter optional)
- Dimensions: 150 (W) x 215 (D) x 50 (H) mm  
5-29/32" x 8-15/32" x 1-31/32"
- Weight: Approx. 500 g

**HAND-HELD****12-Digit****LARGE DISPLAY****±TAX****EL-1611P**

- Printing speed: 1.6 lines/sec.
- Power source: DC/AC (AA x 4, AC adapter optional)
- Dimensions: 96 (W) x 191 (D) x 40 (H) mm  
3-3/4" x 7-1/2" x 1-9/16"
- Weight: Approx. 315 g

# SUPER CHECK & CORRECT

Edit, Verify and Confirm Calculations


## SEMI-DESKTOP



## EL-792C

- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 130 (W) x 209 (D) x 21 (H) mm  
5-1/8" x 8-7/32" x 13/16"
- Weight: Approx. 220 g


## NICE SIZE



## EL-782C

- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 106 (W) x 177 (D) x 19 (H) mm  
4-3/16" x 6-31/32" x 3/4"
- Weight: Approx. 160 g

## MINI NICE SIZE




## EL-771C

- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 115 (W) x 144 (D) x 39 (H) mm  
4-17/32" x 5-21/32" x 1-17/32"
- Weight: Approx. 125 g



### Check & Correct Functions

**SHARP's original 102-step memory and editing functions make accounting easy.**



#### Powerful Function Keys

##### 102 STEP MEMORY    AUTO REPLAY    102-Step Memory and Auto Replay

The last 102 actions can be recalled step-by-step by scrolling with the cursor keys. Pressing the Auto Replay key reviews the entire calculation automatically.

##### CORRECT    INSERT    DELETE    Correct, Insert and Delete Editing Functions

The Correct key allows you to correct wrong data you've entered. Insert new data with the Insert key and delete previous entries with the Delete key. To confirm the result, press the Auto Replay key.

##### REPEAT    Repeat

The Repeat key is extremely handy when entering the same values. Pressing it enters the last inputted value.

##### ±TAX    CHANGE    Tax and Change Calculations

Pressing the Tax key automatically adds or subtracts the total tax amount. After entering the amount received as payment, press the Change key to see how much change to return.

##### ANSWER CHECK    Answer Check

An "OK" sign appears when the checking calculation matches the result of the first.

# OFFICE CALCULATORS

Functions and Features that Get the Job Done

## DESKTOP/SEMI-DESKTOP

12-Digit

Slant Display

L<sup>CD</sup> DISPLAY

GT FUNCTION

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### CS-2122H

#### Time Calculation

- Power source: AC only
- Dimensions: 210 (W) x 220 (D) x 74 (H) mm  
8-9/32" x 8-21/32" x 2-29/32"
- Weight: Approx. 850 g

12-Digit

L<sup>CD</sup> DISPLAY

Kick Stand

GT FUNCTION

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### CS-2130

- Protective Display Cover
- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 185 (W) x 175 (D) x 18 (H) mm  
7-9/32" x 6-7/8" x 23/32"
- Weight: Approx. 290 g

16-Digit

Slant Display

L<sup>CD</sup> DISPLAY

GT FUNCTION

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### EL-6138

- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 190 (W) x 154 (D) x 42 (H) mm  
7-15/32" x 6-1/16" x 1-21/32"
- Weight: Approx. 330 g

12-Digit

Slant Display

L<sup>CD</sup> DISPLAY

GT FUNCTION

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### EL-2135

- Protective Display Cover
- Power source: Twin power (Solar cell & CR2032 x 1)
- Dimensions: 190 (W) x 154 (D) x 42 (H) mm  
7-15/32" x 6-1/16" x 1-21/32"
- Weight: Approx. 330 g

12-Digit

RESUME

Tilt Display

ANSWER CHECK

L<sup>CD</sup> DISPLAY

±TAX

GT FUNCTION

Wind symbol

3-Rate Converter

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### EL-2125C

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 140 (W) x 195 (D) x 22.5 (H) mm  
5-19/32" x 7-21/32" x 29/32"
- Weight: Approx. 215 g

12-Digit

RESUME PLUS

DAY/DATE

L<sup>CD</sup> DISPLAY

ANSWER CHECK

Kick Stand

Wind symbol

GT FUNCTION

+TAX

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER



### EL-2128R

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 128 (W) x 177 (D) x 19 (H) mm  
5-1/32" x 6-31/32" x 3/4"
- Weight: Approx. 205 g



## EL-2139S

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 140 (W) x 195 (D) x 22 (H) mm  
5-19/32" x 7-21/32" x 7/8"
- Weight: Approx. 235 g



## EL-338F


- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 133 (W) x 200 (D) x 18 (H) mm  
5-1/4" x 7-27/32" x 23/32"
- Weight: Approx. 230 g

### NICE SIZE



## EL-387R

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 107 (W) x 169 (D) x 19 (H) mm  
4-7/32" x 6-21/32" x 3/4"
- Weight: Approx. 158 g




## EL-337C

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 108 (W) x 175 (D) x 22 (H) mm  
4-7/32" x 6-7/8" x 7/8"
- Weight: Approx. 165 g



## EL-339S

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 108.6 (W) x 176 (D) x 18.4 (H) mm  
4-9/32" x 6-15/16" x 23/32"
- Weight: Approx. 165 g



## EL-421M

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 108 (W) x 170 (D) x 15 (H) mm  
4-1/4" x 6-11/16" x 19/32"
- Weight: Approx. 160 g

# OFFICE CALCULATORS

## NICE SIZE

**10-Digit**

**L DISPLAY**

**KickStand**

**GT FUNCTION**



**Easy Hold**

**3-DIGIT PUNCTUATION**

**2-KEY ROLL-OVER**

**±TAX**

**GT**



## EL-334F

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 108 (W) x 170 (D) x 15 (H) mm  
4-1/4" x 6-11/16" x 19/32"
- Weight: Approx. 160 g

## MINI NICE SIZE

**10-Digit**

**±TAX**

**Slant Display**

**L DISPLAY**

**3-DIGIT PUNCTUATION**

**2-KEY ROLL-OVER**



## EL-332A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 101 (W) x 142 (D) x 34 (H) mm  
3-31/32" x 5-19/32" x 1-11/32"
- Weight: Approx. 115 g

## Convenient Functions

**RESUME**

### Resume Function

To resume operations after the Auto Power-Off Function has taken effect, press the Resume key. The display will return to the calculation that was in progress, providing the following indicator:


- Function Symbol: indicates the last function used in the calculation.

**RESUME PLUS**

### Resume Plus

(Resume Function plus Line Counter and Condition Symbol)  
Adds the following indicators as well as Resume Function:

- Line Counter: shows number of figures entered.
- Condition Symbol: indicates the next figure should be entered.



**ANSWER CHECK**

An "OK" sign appears when the checking calculation matches the result of the first.



**±TAX**

### Tax Calculation

Easily calculates prices with or without taxes.

**DAY/DATE**

### Day/Date Calculation

- Day Calculation: determines number of days between two dates.
- Date Calculation: determines the date after a number of days and a starting date have been entered.

**10-Digit**

(EL-331A)

**8-Digit**

(EL-330A)

**Tilt Display**

**L DISPLAY**

**3-DIGIT PUNCTUATION**

**2-KEY ROLL-OVER**

**±TAX**

**GT**

**GT FUNCTION**

**Easy Hold**



EL-331A

## EL-331A, EL-330A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 102 (W) x 148 (D) x 15 (H) mm  
4-1/32" x 5-13/16" x 19/32"
- Weight: Approx. 125 g

**8-Digit**

**Slant Display**

**L DISPLAY**

**3-DIGIT PUNCTUATION**

**2-KEY ROLL-OVER**

**±TAX**

**GT**

**GT FUNCTION**

**Easy Hold**

**GT**




## EL-310A

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 87 (W) x 116 (D) x 20 (H) mm  
3-13/32" x 4-9/16" x 25/32"
- Weight: Approx. 76 g




Something new for our office and personal calculators: acrylic glass screen-tops. Sturdy enough to protect the screen from damage, the new screen-tops also bring a touch of modern style to the work station.



## EL-M711G

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 100 (W) x 151.5 (D) x 33 (H) mm  
3-15/16" x 5-31/32" x 1-5/16"
- Weight: Approx. 130 g



## EL-M710G

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 100 (W) x 151.5 (D) x 33 (H) mm  
3-15/16" x 5-31/32" x 1-5/16"
- Weight: Approx. 130 g



## EL-M710G

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 100 (W) x 151.5 (D) x 33 (H) mm  
3-15/16" x 5-31/32" x 1-5/16"
- Weight: Approx. 130 g



## EL-M700G


- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 87 (W) x 116.5 (D) x 28.5 (H) mm  
3-7/16" x 4-19/32" x 1-1/8"
- Weight: Approx. 85 g



# 12/14 DIGIT CALCULATORS

Offering Reliability and Convenience

## NICE SIZE



### EL-145A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 110 (W) x 168 (D) x 15 (H) mm  
4-11/32" x 6-5/8" x 19/32"
- Weight: Approx. 160 g



### EL-125A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 110 (W) x 168 (D) x 15 (H) mm  
4-11/32" x 6-5/8" x 19/32"
- Weight: Approx. 160 g

## MINI NICE SIZE



### EL-144A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 102 (W) x 148 (D) x 15 (H) mm  
4-1/32" x 5-13/16" x 19/32"
- Weight: Approx. 125 g



### EL-124A

- Power source: Twin power (Solar cell & LR44 x 1)
- Dimensions: 102 (W) x 148 (D) x 15 (H) mm  
4-1/32" x 5-13/16" x 19/32"
- Weight: Approx. 125 g

## HAND-HELD/HARD COVER



### EL-143S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions (closed): 72 (W) x 115 (D) x 12 (H) mm  
2-27/32" x 4-17/32" x 15/32"
- Weight: Approx. 66 g



### EL-123S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions (closed): 72 (W) x 115 (D) x 12 (H) mm  
2-27/32" x 4-17/32" x 15/32"
- Weight: Approx. 66 g

# PERSONAL CALCULATORS


Hand-Fitting Sizes with the Functions You Need

## WALLET/HAND-HELD

10-Digit



3-DIGIT  
PUNCTUATION



## EL-480S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 69 (W) x 119 (D) x 7.1 (H) mm  
2-23/32" x 4-11/16" x 9/32"
- Weight: Approx. 65 g (including wallet)

8-Digit



3-DIGIT  
PUNCTUATION



## EL-344G

- Power source: Solar 50 Lux
- Dimensions: 70 (W) x 122 (D) x 5.9 (H) mm  
2-3/4" x 4-13/16" x 7/32"
- Weight: Approx. 80 g (including wallet)

10-Digit

**NEW**



3-DIGIT  
PUNCTUATION

2-KEY  
ROLL-OVER

±TAX



P



## EL-W211G

- Power source: Twin power (Solar cell & CR2016 x 1)
- Dimensions: 70 (W) x 117 (D) x 8.1 (H) mm  
2-3/4" x 4-19/32" x 5/16"
- Weight: Approx. 56 g


10-Digit



3-DIGIT  
PUNCTUATION

2-KEY  
ROLL-OVER

±TAX



## EL-327S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 69 (W) x 115 (D) x 6.5 (H) mm  
2-23/32" x 4-17/32" x 1/4"
- Weight: Approx. 59 g (excluding wallet)


8-Digit



3-DIGIT  
PUNCTUATION

2-KEY  
ROLL-OVER

±TAX



## EL-326S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 69 (W) x 115 (D) x 6.5 (H) mm  
2-23/32" x 4-17/32" x 1/4"
- Weight: Approx. 59 g (excluding wallet)

# PERSONAL CALCULATORS

## WALLET/HAND-HELD

### 12-Digit


**L** DISPLAY

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER

SH/SL

P



## EL-379S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 70 (W) x 117 (D) x 8 (H) mm  
2-3/4" x 4-19/32" x 5/16"
- Weight: Approx. 47 g

### 10-Digit


**L** DISPLAY

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER

SH/SL

P



## EL-377S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 70 (W) x 117 (D) x 8 (H) mm  
2-3/4" x 4-19/32" x 5/16"
- Weight: Approx. 47 g

### 8-Digit

**BLUE** DISPLAY

3-DIGIT PUNCTUATION

2-KEY ROLL-OVER

±TAX

SH/SL



## EL-371S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 66 (W) x 108 (D) x 7 (H) mm  
2-19/32" x 4-7/32" x 9/32"
- Weight: Approx. 40 g

### 8-Digit

**L** DISPLAY

3-DIGIT PUNCTUATION


2-KEY ROLL-OVER

±TAX

SH/SL

P

**NEW**



## EL-W200G

- Power source: Twin power (Solar cell & CR2016 x 1)
- Dimensions: 60 (W) x 105 (D) x 8.1 (H) mm  
2-3/8" x 4-1/8" x 5/16"
- Weight: Approx. 45 g

### 8-Digit

Slant Display

**L** DISPLAY

3-DIGIT PUNCTUATION

±TAX

SH/SL

P



## EL-250S

- Protective Display Cover
- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 71 (W) x 116 (D) x 16.5 (H) mm  
2-25/32" x 4-9/16" x 21/32"
- Weight: Approx. 58 g

### 8-Digit

Slant Display

Last Answer

**L** DISPLAY

3-DIGIT PUNCTUATION

SH/SL

P



## EL-240SA

- Protective Display Cover
- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 71 (W) x 116 (D) x 16.5 (H) mm  
2-25/32" x 4-9/16" x 21/32"
- Weight: Approx. 58 g

### 8-Digit

LARGE DISPLAY



## EL-231L

- Power source: AA x 1
- Dimensions: 69 (W) x 115.5 (D) x 20.5 (H) mm  
2-23/32" x 4-9/16" x 13/16"
- Weight: Approx. 71 g

### 8-Digit

LARGE DISPLAY



## EL-233S

- Power source: LR1130 x 1
- Dimensions: 60 (W) x 103 (D) x 8.3 (H) mm  
2-3/8" x 4-1/16" x 5/16"
- Weight: Approx. 35 g

### HARD COVER

#### 8-Digit

LARGE DISPLAY



## EL-376S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions (closed): 72 (W) x 115 (D) x 12 (H) mm  
2-13/16" x 4-17/32" x 15/32"
- Weight: Approx. 66 g

#### 8-Digit

LARGE DISPLAY




## EL-243S

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions (closed): 64 (W) x 105 (D) x 11 (H) mm  
2-1/2" x 4-5/32" x 7/16"
- Weight: Approx. 51 g

### CARD

#### 8-Digit

LARGE DISPLAY



## EL-879M

- Power source: Twin power (Solar cell & LR1130 x 1)
- Dimensions: 99.6 (W) x 67 (D) x 7.3 (H) mm  
3-29/32" x 2-21/32" x 9/32"
- Weight: Approx. 59 g (including wallet)



- 
- Design and specifications are current as of September 2004, but are subject to change without prior notice.

Distributed by:

- All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers. Sharp makes no warranties or representations of any kind with respect to these products.
- Some peripheral products may not be available in some regions.
- Screen displays are simulated.
- Some models may not be available in some regions. Please ask your Sharp dealer for details.

DCG0405E ©SHARP CORP. (SEP. '04 PRINT) MY5E Printed in China

**Revised Mar. 2005**

# **SPECIFICATIONS & MERCHANDISING INFORMATION**

**2004-2005  
Electronic Dictionaries,  
Electronic Calculators and Organizers**

**SHARP**  
SHARP CORPORATION OSAKA, JAPAN

# ELECTRONIC DICTIONARIES

## SPECIFICATIONS

| Model                                | PW-E500/E300  |
|--------------------------------------|---|
| Display                              | 159 x 80 dots (35 columns, 8 lines) with 2 font sizes (9- & 12-point)   |
| Dictionaries Included                | <i>Oxford Dictionary of English 2e</i> © Oxford University Press 2003<br><i>New Oxford Thesaurus of English</i> © Oxford University Press 2000<br><i>The Oxford Dictionary of Quotations 5e</i> © Oxford University Press 1999 (PW-E500 only) |
| Number of Entries                    | Approx. 355,000 words, phrases, and definitions   |
|                                      | Approx. 600,000 alternative and opposite words  |
|                                      | Approx. 20,000 quotations, comprehensively indexed, & approx. 3,200 authors (PW-E500 only)  |
| Calculator Function                  | 12-digit calculation of addition, subtraction, multiplication, division, percentage, memory calculation, etc.   |
| Converter Function                   | 12-digit conversion of currencies and measurements  |
| Power Consumption                    | 0.11 W  |
| Operation Temperature                | 0 °C – 40°C (32°F – 104°F)  |
| Power Supply                         | 1.5 V (DC): Alkaline battery LR03 (AAA size) x 1  |
| Battery Life                         | Approx. 200 hours, if data is displayed continuously at 25°C/77°F (May vary according to various usage conditions)  |
| Auto Power Off                       | Activated after 3, 5, 10 or 20 minutes (user settable)  |
| Dimensions (When Closed) (W x D x H) | 125 mm x 79.4 mm x 16.8 mm (4-29/32" x 3-1/8" x 21/32")   |
| Weight (Including Battery)           | Approx. 148 g   |

# ELECTRONIC ORGANIZERS

## SPECIFICATIONS

| Model                            | ZQ-590A   | ZQ-290H   | ZQ-270P   | ZQ-190P   |  |
|----------------------------------|---|---|---|---|--|
| Display                          | 80 dots x 111 dots  | 14-column x 5-line  | 111 dots x 48 dots  | 19-column x 5-line  |  |
| Backlight                        | O   | O   | O   | O   |  |
| Memory Capacity                  | 8MB (Flash memory) <sup>*1</sup>  | 1.5MB equivalent <sup>*1, *6</sup>  | 256KB (Flash memory) <sup>*1</sup>  | 256KB   |  |
| Time Management                  | Calendar<br>6-week (1-month)  | 4-week  | 1-month   | 5-week  |  |
| Schedule                         | O   | O   | O   | O   |  |
| Anniversary                      | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   |  |
| To Do                            | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   |  |
| Home Clock                       | O   | O   | O   | O   |  |
| World Clock                      | 97-city   | 42-city   | 96-city   | 27-city   |  |
| Alarm                            | O   | O   | O   | O   |  |
| Expense                          | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   |  |
| Telephone Directory              | 3-file  | 3-file  | 3-file  | 3-file<br>(Multi Address<br>Directory System)   |  |
| E-mail Address                   | in Tel directory  | in Tel directory  | in Tel directory  | O   |  |
| Web Address (URL)                | —   | —   | —   | —   |  |
| Memo                             | O   | O   | O   | O   |  |
| E-mail Viewer                    | O <sup>*3</sup>   | —   | —   | —   |  |
| Calculation                      | O   | O   | O   | O   |  |
| Conversion                       | O   | O   | O   | O   |  |
| Spell Checker                    | O <sup>*4</sup><br>(Approx. 12,000 English words)   | O<br>(Approx. 12,000 English words)   | —   | —   |  |
| English/Spanish Word Translator  | O <sup>*4</sup><br>(Approx. 12,000 words each)  | —   | —   | —   |  |
| Phrase Book                      | O (5-language) <sup>*4</sup>  | —   | —   | —   |  |
| Game                             | O   | O   | O   | O   |  |
| Secret                           | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   |  |
| Diet Function                    | —   | O <sup>*7</sup>   | —   | —   |  |
| Sequential/Direct/Keyword Search | O/O/—   | O/O/—   | O/O/—   | O/O/—   |  |
| Index                            | O   | —   | —   | O   |  |
| Unit to Unit                     | —   | —   | —   | CE-260L <sup>*8</sup>   |  |
| PC Link                          | Included<br>(Microsoft® Outlook®)<br>(synchronise capability)   | Included<br>(Microsoft® Outlook®)<br>(synchronise capability)   | Included PC-Link Kit<br>(for simple backup)   | Included PC-Link Kit<br>(for simple backup)   |  |
| Main (Approx. Life)              | LR03 (AAA) x 1<br>(120 hrs. <sup>*4</sup> , 60 hrs. <sup>*5</sup> ) <sup>*5</sup>                         | CR2032 x 2<br>(1,800 hrs. <sup>*4</sup> , 1,200 hrs. <sup>*4</sup> , 6 mos. <sup>*6</sup> ) <sup>*5</sup> | CR2032 x 3<br>(170 hrs. <sup>*4</sup> , 120 hrs. <sup>*4</sup> , 120 hrs. <sup>*6</sup> ) <sup>*5</sup> | CR2032 x 2<br>(1,200 hrs. <sup>*4</sup> , 300 hrs. <sup>*4</sup> , 270 hrs. <sup>*6</sup> ) <sup>*5</sup> |  |
| Backup (Approx. Life)            | Flash memory  | Flash memory  | Flash memory  | CR2032 x 1 (5 yrs.) <sup>*9</sup>   |  |
| Backlight                        | Uses main battery   | Uses main battery   | Uses main battery   | Uses main battery   |  |
| Dimensions (Closed) (W x D x H)  | 70.8 x 118 x 13.5 mm<br>2-25/32" x 4-21/32" x 17/32"  | 71.6 x 112.5 x 16.9 mm<br>2-13/16" x 4-7/16" x 21/32"   | 154 x 92.5 x 13 mm<br>6-1/16" x 3-21/32" x 1/2"   | 148 x 92 x 13 mm<br>5-13/16" x 3-5/8" x 1/2"  |  |
| Weight (Approx.)                 | 115 g   | 105 g   | 125 g   | 125 g   |  |
| Model                            | ZQ-P20H   | EL-6990P  | ZQ-P10  | EL-6910   | EL-6053S   |
| Display                          | 12-column x 3-line  | 14-column x 5-line  | 12-column x 3-line  | —   | —  |
| Backlight                        | O   | O   | —   | 64KB  | 8KB  |
| Memory Capacity                  | 1MB (Flash memory) <sup>*1</sup>  | 256KB (Flash memory) <sup>*1</sup>  | 96KB equivalent <sup>*11</sup>  | 36 + 36 + 36 + 36 <sup>*10</sup>  | 36 + 36 + 36 + 36 <sup>*10</sup>                 |
| Max. Input Capacity              | 36 + 72 + 36 + 36 <sup>*10</sup>  | Total 716   | 36 + 36 + 36 + 36 <sup>*10</sup>  | 72 <sup>*10</sup>   | 72 <sup>*10</sup>                                |
| Characters Numbers               | 72 <sup>*10</sup>   | QWERTY layout   | —   | QWERTY layout   | QWERTY layout                                    |
| Keyboard                         | —   | O (Except Greek mode)   | O (Except Greek mode)   | O   | O  |
| Lowercase Letters                | O (Except Greek mode)   | O   | O   | O   | O  |
| European Characters              | O   | —   | O   | O   | O  |
| Schedule with Alarm              | O   | O   | O   | O   | O  |
| Calendar                         | —   | 4-week  | —   | —   | —  |
| Telephone Directory              | 2-file  | 3-file  | 2-file  | 2-file  | 2-file   |
| E-mail Address                   | in Tel directory  | in Tel directory  | in Tel directory  | in Tel directory  | in Tel directory                                 |
| Web Address (URL)                | in Tel directory  | —   | in Tel directory  | in Tel directory  | —  |
| Memo                             | O   | O   | O   | O   | O  |
| Home Clock with Alarm            | O   | O   | O   | O   | O  |
| World Clock                      | 42-city   | 42-city   | 29-city   | 29-city   | 29-city  |
| Calculation                      | 10-digit  | 12-digit  | 10-digit  | 10-digit  | 10-digit   |
| Currency/Unit Conversion         | O   | O   | O   | O   | O  |
| Anniversary                      | —   | O   | —   | —   | —  |
| Spell Checker                    | O   | —   | —   | —   | —  |
| English/Spanish Word Translator  | —   | Approx. 10,000 words each   | —   | Approx. 1,200 words each  | —  |
| Game                             | O   | O   | O   | O   | O  |
| Secret                           | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>   | O <sup>*2</sup>                                  |
| Diet Function                    | O <sup>*7</sup>   | —   | —   | —   | —  |
| PC Link                          | Included<br>(Microsoft® Outlook®)<br>(synchronise capability)   | Included PC-Link Kit<br>(for simple backup)   | —   | —   | —  |
| Main (Approx. Life)              | CR2032 x 2<br>(5,000 hrs. <sup>*4</sup> , 2,000 hrs. <sup>*4</sup> , 6 mos. <sup>*5</sup> ) <sup>*5</sup> | CR2032 x 1<br>(1,200 hrs. <sup>*4</sup> , 800 hrs. <sup>*5</sup> ) <sup>*5</sup>                          | CR2032 x 1 (2 yrs. <sup>*8</sup> ) <sup>*5</sup>  | CR2032 x 1 (2 yrs. <sup>*8</sup> ) <sup>*5</sup>  | CR2025 x 1 (2 yrs. <sup>*8</sup> ) <sup>*5</sup> |
| Backup                           | Flash memory  | Flash memory  | —   | —   | —  |
| Backlight (Approx. Life)         | Uses main battery   | CR2032 x 1 (4,000 times <sup>*7</sup> ) <sup>*5</sup>   | —   | —   | —  |
| Dimensions (Closed) (W x D x H)  | 69.8 x 109.3 x 16.3 mm<br>2-3/4" x 4-5/16" x 21/32"   | 143 x 88 x 13.3 mm<br>5-5/8" x 3-15/32" x 17/32"  | 64 x 97 x 14.8 mm<br>2-17/32" x 3-13/16" x 19/32"   | 143 x 88 x 13.3 mm<br>5-5/8" x 3-15/32" x 17/32"  | 128 x 86.6 x 12.7 mm<br>5-1/16" x 3-3/8" x 1/2"  |
| Weight (Approx.)                 | 104 g   | 111 g   | 72 g  | 105 g   | 87 g   |

Certain functions will require a PC, optional PC software, add-on software, a cellular phone, a printer, and/or a wireless interface as demanded. Some services listed may not be available in some regions due to existing restrictions.

\*1 ZQ-590A: 8MB (User area: approx. 8,000KB for data storage)

ZQ-290H: 1.5MB equivalent (User area: approx. 896KB for data storage)

ZQ-270P: 256KB (User area: approx. 235KB for data storage)

ZQ-P20H: 1MB (User area: approx. 896KB for data storage)

ZQ-6990P: 256KB (User area: approx. 250KB for data storage)

\*2 Functions differ in each model.

\*3 File attachments cannot be downloaded. Text viewer only.

\*4 Downloadable from included CD-ROM.

\*5 At an ambient temperature of 25°C (77°F). Actual battery life may vary depending on usage.

\*6 When data is continuously displayed without backlight.

\*7 When data is searched for 5 minutes and displayed for 55 minutes per hourly use, and backlight is on for 2 minutes per hourly use.

\*8 When data is continuously displayed without backlight, with pedometer off.

\*9 When data is searched for 5 minutes and displayed for 55 minutes per hourly use, with pedometer off.

\*10 While pedometer is on, with 5 minutes of data search, 55 minutes of data display, and 10,000 step counts per day.

\*11 When data is continuously displayed and backlight is on for 2 minutes per hourly use.

\*12 When data is searched for 5 minutes, displayed for 55 minutes and backlight is on for 2 minutes per hourly use.

\*13 When data is displayed for 30 minutes, alarm on for 2 seconds and key touch tone turned on/off 100 times per day.

\*14 When backlight is on for 10 seconds and off for 50 seconds.

\*15 Memory at 1.5MB equivalent. Approx. 7,000 telephone names & numbers can be stored by using compression technology at a compression rate of approx. 1.5:1. (Names & numbers — including home, office, fax, and mobile — are 14 characters per entry, and addresses are 38 characters per entry.)

\*16 The Diet function features a built-in pedometer. It also enables calculation of the calories, carbohydrates and other nutritional data for 800 different foods (200 foods with the ZQ-P20H, with no other nutritional data).

Databases are downloadable from the included CD-ROM.

\*17 May not be available in some regions as stocks are very limited.

\*18 If operating batteries are replaced promptly when exhausted.

\*19 Telephone directory mode.

\*20 Memory at 96KB Equivalent. Approx. 1,500 telephone names & numbers (name, telephone and fax number are 14 characters per entry) can be stored by using compression technology. (Compression Rate Approx. 1.5:1)

# SCIENTIFIC CALCULATORS

## SPECIFICATIONS (GRAPHING)

| Model  | EL-9900   |
|--|---|
| Display  | 22 x 8 (132 x 64 dot)   |
| Calculation Results (Mantissa + Exponent)  | 10 + 2  |
| Memory   | 27  |
| Functions  | 827   |
| Max. Pending Operation (Calculations/Numeric Values)                             | 32/14   |
| Equation Editor  | O   |
| Playback   | O   |
| FSE Display  | O   |
| Last Digit Correction  | O   |
| Last Entry Recall  | O   |
| Last Answer Recall   | O   |
| $\pi$ , +/-, EXP   | O   |
| $y^x$ , $\sqrt[x]{y}$ , $x^2$ , $\sqrt{x}$ , $x^{-1}$                            | O   |
| ln, log, e <sup>x</sup> , 10 <sup>x</sup>  | O   |
| sin, cos, tan, sin <sup>-1</sup> , cos <sup>-1</sup> , tan <sup>-1</sup>         | O   |
| sinh, cosh, tanh, sinh <sup>-1</sup> , cosh <sup>-1</sup> , tanh <sup>-1</sup>   | O   |
| sec, csc, cot, sec <sup>-1</sup> , csc <sup>-1</sup> , cot <sup>-1</sup>         | O   |
| n!, nPr, nCr   | O   |
| Random   | O   |
| Fraction Calculations  | O   |
| Manual Reduction   | O   |
| Fraction/Decimal Conversion  | O   |
| $\rightarrow r\theta$ , $\rightarrow xy$ , $\rightarrow DEG$ , $\rightarrow DMS$ | O   |
| Deg, Rad, Grad Modes   | O   |
| Integer Division   | O   |
| Complex Number Calculation   | O   |
| Numerical Derivative   | O   |
| Numerical Integral   | O   |
| Matrix Calculation   | O   |
| Simultaneous Equation  | 2~6VLE <sup>*1</sup>  |
| Solver   | O   |
| Financial Calculation  | O   |
| List/List Grouping   | O   |
| $\Sigma$ Calculation   | O   |
| Polynomial Equation  | O   |
| BIN/OCT/<br>HEX Cal.   | Bin/Oct/Hex Modes<br>Logical Operation  |
| Statistics   | Variable Statistics<br>Regression Models<br>Scatter Plots and Histograms<br>Box and Whisker Diagrams<br>Inferential Statistics<br>Probability Distribution  |
| Programming  | Programming Type<br>Max. Programmes<br>Total Memory Size<br>Programme Titles<br>Subroutines, Branch   |
| Graphing   | Standard Features<br>Function Graphing<br>Parametric Graphing<br>Polar Graphing/Sequence Graphing<br>Split Screen (Graph-Table/Graph-Equation)<br>Zoom, Trace, Graph Style<br>Table of Function Values<br>Features Unique to SHARP<br>Slide Show<br>Original<br>Multiple<br>Reversible Keyboard |
| Ports  | Unit/PC <sup>*2</sup>   |
| Optional   | PC Link<br>Unit to Unit<br>OHP System<br>Data Collection System   |
|  | R03 (AAA) x 4 (150 hrs.) <sup>*4</sup>  |
|  | CR2032 x 1  |
|  | 86 x 183 x 23 mm<br>3-3/8" x 7-7/32" x 29/32"   |
|  | 240 g   |

## SPECIFICATIONS (STANDARD)

| Model  | EL-506W(BK/WH)                                      | EL-520W(BK/WH)                                      | EL-531WH(BK/BL/WH)                                  | EL-509W(BK/WH)                                      | EL-510R   | EL-501W(BK/WH)                                      |
|--|---|---|---|---|---|---|
| Display  | Dot Matrix (Digit x Line)<br>12 x 1                 | 12 x 1  | 12 x 1  | 12 x 1  | 11 x 1  | —   |
| Segment  | Mantissa + Exponent<br>10 + 2                       | 10 + 2  | 10 + 2  | 10 + 2  | —   | 8 + 2   |
| 3-Digit Punctuation  | O   | O   | O   | O   | —   | —   |
| Memory   | 9   | 9   | 9   | 9   | 3   | 1   |
| Functions  | 469   | 419   | 272   | 272   | 160   | 131   |
| FSE Display  | O   | O   | O   | O   | O   | O (E only)  |
| Last Digit Correction  | O   | O   | O   | O   | O   | O   |
| Last Answer Recall   | O   | O   | O   | O   | O   | —   |
| $\pi$ , +/-, EXP   | O   | O   | O   | O   | O   | O   |
| $y^x$ , $\sqrt[3]{y}$ , $x^2$ , $\sqrt{x}$ , $x^3$                             | O   | O   | O   | O   | O   | O   |
| $x^3$  | O   | O   | O   | O   | —   | —   |
| In, log, e <sup>x</sup> , 10 <sup>x</sup>                                      | O   | O   | O   | O   | O   | O   |
| sin, cos, tan, sin <sup>-1</sup> , cos <sup>-1</sup> , tan <sup>-1</sup>       | O   | O   | O   | O   | O   | O   |
| sinh, cosh, tanh, sinh <sup>-1</sup> , cosh <sup>-1</sup> , tanh <sup>-1</sup> | O   | O   | O   | O   | O   | O   |
| n!, nPr, nCr   | O   | O   | O   | O   | O   | O (n! only)   |
| Random   | O   | O   | O   | O   | O   | O   |
| Random Dice  | O   | O   | O   | O   | —   | —   |
| Random Coin  | O   | O   | O   | O   | —   | —   |
| Random Integer   | O   | O   | O   | O   | —   | —   |
| Fraction Calculations  | O   | O   | O   | O   | O   | —   |
| → rθ, → xy, → DEG, → DMS   | O   | O   | O   | O   | O   | O   |
| Physical Constants   | 52  | 52  | —   | —   | —   | —   |
| Metric Conversions   | 44  | 44  | —   | —   | —   | —   |
| Deg, Rad, Grad Modes   | O   | O   | O   | O   | O   | O   |
| Complex Number Calculation   | O   | O   | —   | —   | —   | O   |
| 3-Var. Linear Equation   | O   | O   | —   | —   | —   | —   |
| Solving Cubic Equation   | O   | O   | —   | —   | —   | —   |
| Multi-Line Playback  | O   | O   | O   | O   | O   | —   |
| Playback   | O   | O   | O   | O   | O   | —   |
| Constant Calculation   | O   | O   | O   | O   | O   | O   |
| Chain Calculation  | O   | O   | O   | O   | O   | O   |
| Numerical Derivative   | O   | O   | —   | —   | —   | —   |
| Numerical Integral   | O   | O   | —   | —   | —   | —   |
| Formula Memory   | O   | O   | —   | —   | —   | —   |
| Algebraic Substitution   | O   | O   | —   | —   | —   | —   |
| Matrix Calculation   | O   | —   | —   | —   | —   | —   |
| Solver   | O   | O   | —   | —   | —   | —   |
| List Calculation   | O   | —   | —   | —   | —   | —   |
| Bin/Pen<br>Oct/Hex<br>Bin/Cai  | Bin/Pen/Oct/Hex                                     | O   | O   | O   | —   | O <sup>*6</sup>                                     |
| Logical Operation  | O   | O   | O   | O   | —   | —   |
| Variable Statistics  | 1/2   | 1/2   | 1/2   | 1/2   | 1   | 1   |
| Regression Models  | 6   | 6   | 6   | 6   | —   | —   |
| 2-Key Roll-Over  | O   | O   | O   | O   | —   | —   |
| Power Source (Approx. Life)  | Solar/LR44 x 2<br>(5,000 hrs.) <sup>*5</sup>        | Solar/LR44 x 2<br>(5,000 hrs.) <sup>*5</sup>        | R6 (AA) x 1<br>(17,000 hrs.) <sup>*5</sup>          | LR44 x 2<br>(5,000 hrs.) <sup>*5</sup>              | LR44 x 2<br>(2,500 hrs.) <sup>*5</sup>          | LR44 x 2<br>(3,000 hrs.) <sup>*5</sup>              |
| Dimensions (W x D x H)   | 79.6 x 154.5 x 13.2 mm<br>3-1/8" x 6-3/32" x 17/32" | 79.6 x 154.5 x 13.2 mm<br>3-1/8" x 6-3/32" x 17/32" | 79.6 x 154.5 x 18.2 mm<br>3-1/8" x 6-3/32" x 23/32" | 79.6 x 154.5 x 13.2 mm<br>3-1/8" x 6-3/32" x 17/32" | 71.5 x 124 x 9.5 mm<br>2-13/16" x 4-7/8" x 3/8" | 78.6 x 144 x 11.6 mm<br>3-3/32" x 5-21/32" x 15/32" |
| Weight (Approx.)   | 97 g  | 97 g  | 110 g   | 95 g  | 57 g  | 75 g  |

## SPECIFICATIONS (PROGRAMMABLE)

| Model  | EL-5120                                   |
|--|---|
| Dot Matrix Display (Digit x Line)  | 14 x 3                                    |
| Memory   | 27  |
| Functions  | 242                                       |
| FSE Display  | O   |
| Last Digit Correction  | O   |
| Last Answer Recall   | O   |
| $\pi$ , +/-, EXP   | O   |
| $y^x$ , $\sqrt[3]{y}$ , $x^2$ , $\sqrt{x}$ , $x^3$                             | O   |
| In, log, e <sup>x</sup> , 10 <sup>x</sup>                                      | O   |
| sin, cos, tan, sin <sup>-1</sup> , cos <sup>-1</sup> , tan <sup>-1</sup>       | O   |
| sinh, cosh, tanh, sinh <sup>-1</sup> , cosh <sup>-1</sup> , tanh <sup>-1</sup> | O   |
| n!, nPr, nCr   | O   |
| Random   | O   |
| Fraction Calculations  | O   |
| → rθ, → xy, → DEG, → DMS   | O   |
| Deg, Rad, Grad Modes   | O   |
| Numerical Integral   | O   |
| Playback   | O   |
| Solver   | O   |
| Bin/Oct/Hex Modes  | O   |
| Logical Operation  | O   |
| Variable Statistics  | 1/2                                       |
| Regression Models  | 1   |
| Max. Programmes  | 25  |
| Max. Steps   | 1,211                                     |
| Programme Titles   | O   |
| Subroutines, Branch  | O   |
| Power Source (Approx. Life)  | CR2025 x 1<br>(1,100 hrs.) <sup>*4</sup>  |
| Dimensions (W x D x H)   | 76 x 145 x 9.8 mm<br>3" x 5-23/32" x 3/8" |
| Weight (Approx.)   | 77 g                                      |

## SPECIFICATIONS (FINANCIAL)

| Model                       | EL-735  | EL-733A                                   |
|-----------------------------|---|---|
| Display                     | Dot Matrix (Digit x Line)<br>12 x 1             | —   |
| Segment                     | 10  | 10  |
| 3-Digit Punctuation         | O   | O   |
| Memory                      | 1   | 1   |
| Cost/Sell Margin            | O   | O   |
| Compound Interest           | O   | O   |
| Amortisation of Payment     | O   | O   |
| Bond Calculation            | O   | —   |
| 360-Day Calendar            | O   | —   |
| Non-Uniform Cash Flow       | O   | O   |
| Constant Calculation        | O   | O   |
| 2-Var. Statistics           | O   | O   |
| Date Calculation            | O   | —   |
| Database                    | O   | —   |
| Sign Change                 | O   | O   |
| Right Shift                 | O   | O   |
| Power Source (Approx. Life) | CR2016 x 1<br>(800 hrs.) <sup>*5</sup>          | LR44 x 2<br>(1,000 hrs.) <sup>*5</sup>    |
| Dimensions (W x D x H)      | 69 x 132 x 7.8 mm<br>2-23/32" x 5-3/16" x 5/16" | 76 x 143 x 8.5 mm<br>3" x 5-5/8" x 11/32" |
| Weight (Approx.)            | 69 g <sup>*7</sup>                              | 110 g <sup>*8</sup>                       |

\*1 VLE = Value Linear Equation.

\*2 CE-LK2 cable (sold separately) is required for hook-up to a PC.

CE-451L cable (sold separately) is required to connect calculators to one another.

\*3 Vernier® LabPro® or ImTech® DataLab® (each sold separately) and CE-LK2 are required.

\*4 When used continuously for 5 minutes and displayed for 55 minutes per hourly use with temperature of approx. 20°C (68°F). Actual battery life may vary depending on usage.

\*5 Continuous display. Actual battery life may vary depending on usage.

\*6 Bin/Oct/Hex only.

\*7 Excluding wallet.

\*8 Including wallet.

# PRINTING CALCULATORS

## SPECIFICATIONS (DESKTOP, SEMI-DESKTOP, HAND-HELD)

| Model                  | CS-4194HC   | EL-2630P II   | EL-2607P   | EL-1607P  | EL-2910R  | EL-2902C   | EL-2901RH  | EL-1801C   | EL-1750P   | EL-1611P   |
|------------------------|---|---|--|---|---|--|--|--|--|--|
| Display                | 14  | 12  | 12   | 12  | 12  | 12   | 12   | 12   | 12   | 12   |
| Backlight              | —   | —   | —  | —   | —   | O  | —  | —  | —  | —  |
| Memory                 | 3 (GT)  | 2 (GT)  | 2 (GT)   | 2 (GT)  | 2 (GT)  | 2 (GT)   | 2 (GT)   | 1  | 1  | 1  |
| Decimal Setting        | F-6-4-3-2-1-0   | F-6-3-2-1-0   | F-6-3-2-1-0  | F-6-3-2-1-0   | F-6-3-2-1-0   | F-3-2-1-0-A  | F-6-3-2-1-0-A  | F-2-0-A  | F-3-2-1-0-A  | F-3-2-1-0-A                                      |
| Adding Mode            | O   | O   | O  | O   | O   | O  | O  | O  | O  | O  |
| Constant               | O   | O   | O  | O   | O   | O  | O  | O  | O  | O  |
| Triple Zero Key        | O   | —   | —  | —   | —   | —  | —  | —  | —  | —  |
| Double Zero Key        | O   | O   | O  | O   | O   | O  | O  | O  | O  | O  |
| Round Up/Off/Down      | Up/Off/Down   | Up/Off/Down   | Up/Off/Down  | Up/Off/Down   | Up/Off/Down   | Off/Down   | Up/Off/Down  | Off/Down   | Up/Off/Down  | —  |
| Item Counter           | O   | O   | O  | O   | O   | O  | O  | O  | O  | —  |
| Grand Total            | O   | O   | O  | O   | O   | O  | O  | —  | —  | —  |
| Cost/Sell/Margin       | —   | —   | —  | —   | —   | —  | O  | —  | —  | —  |
| +Tax/-Tax Calculation  | O/O   | O/O   | O/O  | O/O   | O/O   | O/O  | O/O  | O/O  | O/O  | O/O  |
| Mark Up                | —   | O   | O  | O   | O   | O  | —  | O  | O  | —  |
| Conversion Function    | —   | O   | —  | O   | —   | —  | —  | —  | —  | —  |
| Average                | —   | O   | O  | —   | —   | —  | —  | —  | —  | —  |
| Printing Colour        | 2   | 2   | 2  | 2   | 2   | 2  | 2  | 2  | 2  | 1  |
| Printing Speed         | 4.3 Lines/Sec.  | 4.8 Lines/Sec.  | 4.3 Lines/Sec.                                     | 3.0 Lines/Sec.  | 3.0 Lines/Sec.  | 3.0 Lines/Sec.                                       | 2.1 Lines/Sec.   | 2.1 Lines/Sec.   | Approx. 1.6 Lines/Sec.                                 | 1.6 Lines/Sec.                                   |
| Power Source           | AC  | AC  | AC   | AC  | AC  | AC   | AC   | AA x 4/AC*   | AA x 4/AC*   | AA x 4/AC*                                       |
| Dimensions (W x D x H) | 250 x 345 x 78 mm<br>9-27/32" x 13-19/32"<br>x 3-1/6" | 228 x 336 x 78 mm<br>8-31/32" x 13-7/32"<br>x 3-1/16" | 222 x 327 x 78 mm<br>8-3/4" x 12-7/8"<br>x 3-1/16" | 220 x 303 x 71.5 mm<br>8-21/32" x 11-15/16"<br>x 2-27/32" | 221 x 305 x 72 mm<br>8-11/16" x 12-1/16"<br>x 2-7/16" | 200 x 251 x 62 mm<br>7-27/32" x 9-7/8"<br>x 2-15/32" | 193 x 256 x 62.5 mm<br>7-19/32" x 10-3/32"<br>x 2-15/32" | 170 x 231 x 57.5 mm<br>6-11/16" x 9-15/16"<br>x 2-1/4" | 150 x 215 x 50 mm<br>5-29/32" x 8-15/32"<br>x 1-31/32" | 96 x 191 x 40 mm<br>3-3/4" x 7-1/2"<br>x 1-9/16" |
| Weight (Approx.)       | 2,000 g   | 1,900 g   | 1,900 g  | 1,300 g   | 1,300 g   | 950 g  | 1,000 g  | 580 g  | 500 g  | 315 g  |

\* AC adapter (optional)

## OPTIONAL ACCESSORY CHART

| Model      | CS-4194HC | EL-2630P II | EL-2607P | EL-1607P                               | EL-2910R                               | EL-2902C                               | EL-2901RH | EL-1801C                               | EL-1750P | EL-1611P             |
|------------|-----------|-------------|----------|--|--|--|-----------|--|----------|----------------------|
| Paper Roll | ★         | ★           | ★        | ★                                      | ★                                      | ★                                      | ★         | ★                                      | ★        | EA-7100P (58 x Ø25)★ |
| Ink Ribbon | ☆         | ☆           | ☆        | —                                      | —                                      | —                                      | —         | —                                      | —        | —                    |
| Ink Roller | —         | —           | —        | EA-781R-BK (black)<br>EA-781R-RD (red) | EA-781R-BK (black)<br>EA-781R-RD (red) | EA-781R-BK (black)<br>EA-781R-RD (red) | EA-772R   | EA-781R-BK (black)<br>EA-781R-RD (red) | EA-772R  | EA-732R              |
| AC Adapter | —         | —           | —        | —                                      | —                                      | —                                      | —         | EA-28A                                 | EA-28A   | EA-28A               |

★ Part code: DPAPR1004CSZZ – 5 rolls/pack, 58 (W) x 80 (ø) mm

☆ Part code: URBNT1007CCZZ – Ink ribbon (black/red)

# SUPER CHECK & CORRECT

## SPECIFICATIONS (SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)

| Model                 | EL-792C | EL-782C | EL-771C | Model                      | EL-792C   | EL-782C   | EL-771C  |
|-----------------------|---------|---------|---------|----------------------------|---|---|--|
| Display               | 12      | 12      | 10      | Grand Total                | O   | —   | —  |
| 3-Digit Punctuation   | O       | O       | O       | Last Answer Recall         | O   | —   | —  |
| Memory                | 1 + GT  | 1       | 1       | Auto Power Off             | O   | O   | O  |
| Line Counter          | O       | O       | O       | Double Zero Key            | O   | —   | —  |
| Storage Memory        | 102     | 102     | 102     | 2-Key Roll-Over            | O   | O   | O  |
| Auto Replay           | O       | O       | O       | Decimal Setting            | F-5-4-3-2-1-0-A                                   | F-3-2-1-0-A                                       | F-2-0  |
| Correct/Insert/Delete | O/O/O   | O/O/O   | O/-/-   | Round Up/Off/Down          | Up/Off/Down                                       | Off/Down  | —  |
| Repeat Entry          | O       | O       | O       | Right Shift                | O   | O   | O  |
| Change Calculation    | O       | O       | O       | Tilt Display/Slant Display | O/-   | O/-   | -/O  |
| Answer Check          | O       | O       | O       | Power Source               | Solar/CR2032 x 1                                  | Solar/CR2032 x 1                                  | Solar/CR2032 x 1                                       |
| +Tax/-Tax Calculation | O/O     | O/O     | O/O     | Dimensions (W x D x H)     | 130 x 209 x 21 mm<br>5-1/8" x 8-7/32"<br>x 13/16" | 106 x 177 x 19 mm<br>4-3/16" x 6-31/32"<br>x 3/4" | 115 x 144 x 39 mm<br>4-17/32" x 5-21/32"<br>x 1-17/32" |
| Percent               | O       | O       | O       | Weight (Approx.)           | 220 g   | 160 g   | 125 g  |
| Sign Change           | O       | —       | O       |                            |   |   |  |

# OFFICE CALCULATORS

## SPECIFICATIONS (DESKTOP/SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)

| Model                      | CS-2122H  | CS-2130   | EL-6138   | EL-2135   | EL-2125C   | EL-2128R  | EL-2139S   |
|----------------------------|---|---|---|---|--|---|--|
| Display                    | 12  | 12  | 16  | 12  | 12   | 12  | 12   |
| 3-Digit Punctuation        | O   | O   | O   | O   | O  | O   | O  |
| Memory                     | 1 + GT  | 1 + GT  | 1 + GT  | 1 + GT  | 1 + GT   | 1 + GT  | 1  |
| Resume Function            | —   | —   | —   | —   | —  | —   | —  |
| Line Counter               | —   | —   | —   | —   | —  | O   | —  |
| Answer Check               | —   | —   | —   | —   | O <sup>*1</sup>  | O   | O <sup>*1</sup>                                    |
| +Tax/-Tax Calculation      | -/-   | -/-   | -/-   | -/-   | O/O  | O/-   | O/O  |
| Day/Date Calculation       | —   | —   | —   | —   | —  | O   | —  |
| Conversion Function        | —   | —   | —   | —   | 3-rate   | —   | —  |
| Root                       | O   | O   | O   | O   | —  | —   | O  |
| Percent                    | O   | O   | O   | O   | O  | O   | O  |
| Sign Change                | O   | O   | O   | O   | O  | O   | O  |
| Mark Up                    | O   | O   | —   | O   | —  | O   | —  |
| Grand Total                | O   | O   | O   | O   | O <sup>*2</sup>  | O   | O <sup>*2</sup>                                    |
| Constant                   | O   | O   | O   | O   | O  | O   | O  |
| Time Calculation           | O   | —   | —   | —   | —  | —   | —  |
| Auto Power Off             | —   | O   | O   | O   | O  | O   | O  |
| Double Zero Key            | O   | O   | —   | O   | O  | O   | O  |
| Triple Zero Key            | O   | —   | O   | —   | —  | —   | —  |
| 2-Key Roll-Over            | O   | O   | O   | O   | O  | O   | O  |
| Decimal Setting            | F-6-3-2-1-0-A   | F-3-2-0-A   | F-3-2-0-A   | F-3-2-0-A   | F-5-4-3-2-1-0-A  | F-3-2-1-0-A                                       | F-5-4-3-2-1-0-A                                    |
| Round Up/Off/Down          | Up/Off/Down   | Up/Off/Down                                       | Off/Down  | Off/Down  | Off/Down   | Up/Off/Down                                       | Up/Off/Down  |
| Right Shift                | O   | O   | O   | O   | O  | O   | O  |
| Kick Stand                 | —   | O   | —   | —   | —  | O (Double)  | O  |
| Tilt Display/Slant Display | -/O   | -/-   | -/O   | -/O   | O/-  | -/-   | -/-  |
| Power Source               | AC  | Solar/CR2032 x 1                                  | Solar/CR2032 x 1                                      | Solar/CR2032 x 1                                      | Solar/LR44 x 1   | Solar/LR44 x 1                                    | Solar/LR44 x 1                                     |
| Dimensions (W x D x H)     | 210 x 220 x 74 mm<br>8-9/32" x 8-21/32"<br>x 2-29/32" | 185 x 175 x 18 mm<br>7-9/32" x 6-7/8"<br>x 23/32" | 190 x 154 x 42 mm<br>7-15/32" x 6-1/16"<br>x 1-21/32" | 190 x 154 x 42 mm<br>7-15/32" x 6-1/16"<br>x 1-21/32" | 140 x 195 x 22.5 mm<br>5-19/32" x 7-21/32"<br>x 29/32" | 128 x 177 x 19 mm<br>5-1/32" x 6-31/32"<br>x 3/4" | 140 x 195 x 22 mm<br>5-19/32" x 7-21/32"<br>x 7/8" |
| Weight (Approx.)           | 850 g   | 290 g   | 330 g   | 330 g   | 215 g  | 205 g   | 235 g  |

| Model                      | EL-338F  | EL-387R   | EL-337C   | EL-339S   | EL-421M  | EL-334F  | EL-332A  |
|----------------------------|--|---|---|---|--|--|--|
| Display                    | 12   | 12  | 12  | 12  | 14   | 10   | 10   |
| 3-Digit Punctuation        | O  | O   | O   | O   | O  | O  | O  |
| Memory                     | 1 + GT   | 1 + GT  | 1 + GT  | 1   | 1  | 1 + GT   | 1  |
| Resume Function            | —  | O   | O   | —   | O  | —  | —  |
| Line Counter               | —  | O   | —   | —   | —  | —  | —  |
| Answer Check               | —  | O   | O <sup>*1</sup>                                 | O <sup>*1</sup>   | —  | —  | —  |
| Cost/Sell/Margin           | O  | —   | —   | —   | —  | —  | —  |
| +Tax/-Tax Calculation      | -/-  | O/-   | O/O   | O/O   | O/O  | O/O  | O/O  |
| Day/Date Calculation       | —  | O   | —   | —   | —  | —  | —  |
| Conversion Function        | —  | —   | 3-rate  | —   | —  | —  | —  |
| Root                       | O  | —   | —   | O   | —  | —  | —  |
| Percent                    | O  | O   | O   | O   | O  | O  | O  |
| Sign Change                | O  | O   | O   | O   | O  | O  | O  |
| Mark Up                    | —  | O   | —   | —   | —  | —  | —  |
| Grand Total                | O  | O   | O <sup>*2</sup>                                 | O <sup>*2</sup>   | —  | O  | —  |
| Constant                   | O  | O   | O   | O   | O  | O  | O  |
| Auto Power Off             | O  | O   | O   | O   | O  | O  | O  |
| Double Zero Key            | O  | O   | O   | O   | O  | O  | O  |
| 2-Key Roll-Over            | O  | O   | O   | O   | O  | O  | O  |
| Decimal Setting            | F-3-2-0-A  | F-3-2-1-0-A                                       | F-3-2-0-A                                       | F-3-2-1-0-A   | —  | —  | —  |
| Round Up/Off/Down          | Off/Down   | Off/Down  | Off/Down  | Off/Down  | —  | —  | —  |
| Right Shift                | O  | O   | —   | O   | O  | O  | —  |
| Kick Stand                 | O  | O   | —   | O   | O  | O  | —  |
| Tilt Display/Slant Display | -/-  | -/-   | O/-   | -/-   | -/-  | -/-  | -/O  |
| Power Source               | Solar/LR44 x 1                                     | Solar/LR44 x 1                                    | Solar/LR44 x 1                                  | Solar/LR44 x 1  | Solar/LR44 x 1                                     | Solar/LR44 x 1                                     | Solar/LR44 x 1   |
| Dimensions (W x D x H)     | 133 x 200 x 18 mm<br>5-1/4" x 7-27/32"<br>x 23/32" | 107 x 169 x 19 mm<br>4-7/32" x 6-21/32"<br>x 3/4" | 108 x 175 x 22 mm<br>4-7/32" x 6-7/8"<br>x 7/8" | 108.6 x 176 x 18.4 mm<br>4-9/32" x 6-15/16"<br>x 23/32" | 108 x 170 x 15 mm<br>4-1/4" x 6-11/16"<br>x 19/32" | 108 x 170 x 15 mm<br>4-1/4" x 6-11/16"<br>x 19/32" | 101 x 142 x 34 mm<br>3-31/32" x 5-19/32"<br>x 1-11/32" |
| Weight (Approx.)           | 230 g  | 158 g   | 165 g   | 165 g   | 160 g  | 160 g  | 115 g  |

\*1 Includes "Round Off" mode. \*2 Includes "Round Off/Down" modes.

# OFFICE CALCULATORS

## SPECIFICATIONS (DESKTOP/SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)

| Model                      | EL-331A, EL-330A                                    | EL-310A  | EL-M711G  | EL-M710G  | EL-M700G   |
|----------------------------|---|--|---|---|--|
| Display                    | 10 (EL-331A),<br>8 (EL-330A)                        | 8  | 10  | 8   | 8  |
| 3-Digit Punctuation        | ○   | —  | ○   | ○   | ○  |
| Memory                     | 1   | 1  | 1   | 1   | 1  |
| +Tax/-Tax Calculation      | ○/○   | —/—  | ○/○   | ○/○   | ○/○  |
| Conversion Function        | —   | —  | ○   | ○   | —  |
| Root                       | —   | ○  | —   | —   | —  |
| Percent                    | ○   | ○  | ○   | ○   | ○  |
| Sign Change                | ○   | ○  | ○   | ○   | —  |
| Constant                   | ○   | ○  | ○   | ○   | ○  |
| Auto Power Off             | ○   | ○  | ○   | ○   | ○  |
| Double Zero Key            | —   | —  | ○   | ○   | —  |
| 2-Key Roll-Over            | ○   | —  | ○   | ○   | ○  |
| Decimal Setting            | — (EL-331A),<br>F-2-0 (EL-330A)                     | —  | —   | —   | —  |
| Tilt Display/Slant Display | ○/—   | —/○  | —/○   | —/○   | —/○  |
| Power Source               | Solar/LR44 x 1                                      | Solar/LR1130 x 1                                   | Solar/LR44 x 1  | Solar/LR44 x 1  | Solar/LR44 x 1   |
| Dimensions (W x D x H)     | 102 x 148 x 15 mm<br>4-1/32" x 5-13/16"<br>x 19/32" | 87 x 116 x 20 mm<br>3-13/32" x 4-9/16"<br>x 25/32" | 100 x 151.5 x 33 mm<br>3-15/16" x 5-31/32"<br>x 1-5/16" | 100 x 151.5 x 33 mm<br>3-15/16" x 5-31/32"<br>x 1-5/16" | 87 x 116.5 x 28.5 mm<br>3-7/16" x 4-19/32"<br>x 1-1/8" |
| Weight (Approx.)           | 125 g   | 76 g   | 130 g   | 130 g   | 85 g   |

# 12/14 DIGIT CALCULATORS

## SPECIFICATIONS (NICE SIZE, MINI NICE SIZE, HAND-HELD/HARD COVER)

| Model                      | EL-145A  | EL-125A  | EL-144A   | EL-124A   | EL-143S   | EL-123S   |
|----------------------------|--|--|---|---|---|---|
| Display                    | 14   | 12   | 14  | 12  | 14  | 12  |
| 3-Digit Punctuation        | ○  | ○  | ○   | ○   | ○   | ○   |
| Memory                     | 1  | 1  | 1   | 1   | 1   | 1   |
| +Tax/-Tax Calculation      | ○/○  | ○/○  | ○/○   | ○/○   | —/—   | —/—   |
| Root                       | —  | —  | —   | —   | ○   | ○   |
| Percent                    | ○  | ○  | ○   | ○   | ○   | ○   |
| Sign Change                | ○  | ○  | —   | —   | —   | —   |
| Constant                   | ○  | ○  | ○   | ○   | ○   | ○   |
| Auto Power Off             | ○  | ○  | ○   | ○   | ○   | ○   |
| Double Zero Key            | ○  | ○  | ○   | ○   | ○   | ○   |
| 2-Key Roll-Over            | ○  | ○  | ○   | ○   | ○   | ○   |
| Right Shift                | ○  | ○  | ○   | ○   | ○   | ○   |
| Tilt Display/Slant Display | ○/—  | ○/—  | ○/—   | ○/—   | —/—   | —/—   |
| Hard Cover                 | —  | —  | —   | —   | ○   | ○   |
| Power Source               | Solar/LR44 x 1                                     | Solar/LR44 x 1                                     | Solar/LR44 x 1                                      | Solar/LR44 x 1                                      | Solar/LR1130 x 1                                    | Solar/LR1130 x 1                                    |
| Dimensions (W x D x H)     | 110 x 168 x 15 mm<br>4-11/32" x 6-5/8"<br>x 19/32" | 110 x 168 x 15 mm<br>4-11/32" x 6-5/8"<br>x 19/32" | 102 x 148 x 15 mm<br>4-1/32" x 5-13/16"<br>x 19/32" | 102 x 148 x 15 mm<br>4-1/32" x 5-13/16"<br>x 19/32" | 72 x 115 x 12 mm<br>2-27/32" x 4-17/32"<br>x 15/32" | 72 x 115 x 12 mm<br>2-27/32" x 4-17/32"<br>x 15/32" |
| Weight (Approx.)           | 160 g  | 160 g  | 125 g   | 125 g   | 66 g  | 66 g  |

# PERSONAL CALCULATORS

## SPECIFICATIONS (WALLET/HAND-HELD, HARD COVER, CARD)

| Model                       | EL-480S   | EL-344G   | EL-W211G  | EL-327S  | EL-326S  | EL-379S   | EL-377S   | EL-371S  |
|-----------------------------|---|---|---|--|--|---|---|--|
| Display                     | 10  | 8   | 10  | 10   | 8  | 12  | 10  | 8  |
| 3-Digit Punctuation         | O   | O   | O   | O  | O  | O   | O   | O  |
| Memory                      | 1   | 1   | 1   | 1  | 1  | 1   | 1   | 1  |
| Root                        | O   | O   | —   | —  | —  | O   | O   | —  |
| Percent                     | O   | O   | O   | O  | O  | O   | O   | O  |
| Mark Up                     | O   | —   | —   | —  | —  | —   | —   | —  |
| Sign Change                 | O   | O   | —   | —  | —  | —   | O   | —  |
| Constant                    | O   | O   | O   | O  | O  | O   | O   | O  |
| Metric Conversion           | —   | O   | —   | —  | —  | —   | —   | —  |
| Cost/Sell/Margin            | O   | —   | —   | —  | —  | —   | —   | —  |
| Decimal Setting             | —   | —   | —   | F-2-0  | F-2-0  | —   | —   | —  |
| +Tax/-Tax Calculation       | —/—   | —/—   | O/O   | O/O  | O/O  | —/—   | —/—   | O/O  |
| 2-Key Roll-Over             | —   | —   | O   | O  | O  | O   | O   | O  |
| Auto Power Off              | O   | —   | O   | O  | O  | O   | O   | O  |
| Key Material                | Rubber  | Rubber  | Plastic   | Rubber   | Rubber   | Plastic   | Plastic   | Rubber   |
| Wallet Case                 | O   | O   | —   | O  | O  | —   | —   | O  |
| Power Source (Approx. Life) | Solar/LR1130 x 1                                    | Solar 50 Lux                                      | Solar/CR2016 x 1                                    | Solar/LR1130 x 1                                   | Solar/LR1130 x 1                                   | Solar/LR1130 x 1                                | Solar/LR1130 x 1                                | Solar/LR1130 x 1                                 |
| Dimensions (W x D x H)      | 69 x 119 x 7.1 mm<br>2-23/32" x 4-11/16"<br>x 9/32" | 70 x 122 x 5.9 mm<br>2-3/4" x 4-13/16"<br>x 7/32" | 70 x 117 x 8.1 mm<br>2-23/32" x 4-19/32"<br>x 5/16" | 69 x 115 x 6.5 mm<br>2-23/32" x 4-17/32"<br>x 1/4" | 69 x 115 x 6.5 mm<br>2-23/32" x 4-17/32"<br>x 1/4" | 70 x 117 x 8 mm<br>2-3/4" x 4-19/32"<br>x 5/16" | 70 x 117 x 8 mm<br>2-3/4" x 4-19/32"<br>x 5/16" | 66 x 108 x 7 mm<br>2-19/32" x 4-7/32"<br>x 9/32" |
| Weight (Approx.)            | 65 g <sup>*1</sup>                                  | 80 g <sup>*1</sup>                                | 56 g  | 59 g <sup>*2</sup>                                 | 59 g <sup>*2</sup>                                 | 47 g  | 47 g  | 40 g   |

| Model                       | EL-W200G  | EL-250S  | EL-240SA   | EL-231L  | EL-233S  | EL-376S   | EL-243S   | EL-879M  |
|-----------------------------|---|--|--|--|--|---|---|--|
| Display                     | 8   | 8  | 8  | 8  | 8  | 8   | 8   | 8  |
| 3-Digit Punctuation         | O   | O  | O  | —  | —  | —   | —   | O  |
| Memory                      | 1   | 1  | 1  | 1  | 1  | 1   | 1   | 1  |
| Root                        | —   | —  | O  | O  | O  | O   | O   | O  |
| Percent                     | O   | O  | O  | O  | O  | O   | O   | O  |
| Sign Change                 | —   | —  | O  | O  | —  | O   | O   | O  |
| Constant                    | O   | O  | O  | O  | O  | O   | O   | O  |
| Last Answer Recall          | —   | —  | O  | —  | —  | —   | —   | —  |
| Decimal Setting             | —   | F-2-0  | F-2-0  | —  | —  | —   | —   | —  |
| +Tax/-Tax Calculation       | O/O   | O/O  | —/—  | —/—  | —/—  | —/—   | —/—   | —/—  |
| 2-Key Roll-Over             | O   | —  | —  | —  | —  | —   | —   | —  |
| Auto Power Off              | O   | O  | O  | O  | O  | O   | O   | O  |
| Key Material                | Plastic   | Plastic  | Plastic  | Plastic  | Plastic  | Plastic   | Rubber  | Rubber   |
| Hard Cover                  | —   | —  | —  | —  | —  | O   | O   | —  |
| Wallet Case                 | —   | —  | —  | —  | —  | —   | —   | O  |
| Power Source (Approx. Life) | Solar/CR2016 x 1                                | Solar/LR1130 x 1                                     | Solar/LR1130 x 1                                     | AA x 1 (17,500 hrs.) <sup>*3</sup>                     | LR1130 x 1 (1 yr.) <sup>*4</sup>                 | Solar/LR1130 x 1  | Solar/LR1130 x 1  | Solar/LR1130 x 1                                     |
| Dimensions (W x D x H)      | 60 x 105 x 8.1 mm<br>2-3/8" x 4-1/8"<br>x 5/16" | 71 x 116 x 16.5 mm<br>2-25/32" x 4-9/16"<br>x 21/32" | 71 x 116 x 16.5 mm<br>2-25/32" x 4-9/16"<br>x 21/32" | 69 x 115.5 x 20.5 mm<br>2-23/32" x 4-9/16"<br>x 13/16" | 60 x 103 x 8.3 mm<br>2-3/8" x 4-1/16"<br>x 5/16" | 72 x 115 x 12 mm <sup>*5</sup><br>2-13/16" x 4-17/32"<br>x 15/32" | 64 x 105 x 11 mm <sup>*5</sup><br>2-1/2" x 4-5/32"<br>x 7/16" | 99.6 x 67 x 7.3 mm<br>3-29/32" x 2-21/32"<br>x 9/32" |
| Weight (Approx.)            | 45 g  | 58 g   | 58 g   | 71 g   | 35 g   | 66 g  | 51 g  | 59 g <sup>*1</sup>                                   |

<sup>\*1</sup> Including wallet. <sup>\*2</sup> Excluding wallet. <sup>\*3</sup> Continuous LCD display. Actual battery life may vary depending on usage.

<sup>\*4</sup> When used for 1 hour per day. Actual battery life may vary depending on usage. <sup>\*5</sup> When closed.

# MERCHANDISING INFORMATION

## BAR CODE LIST (EAN CODES)

### ELECTRONIC DICTIONARIES

**PW-E500** (Box)



4 974019 023830

**PW-E300** (Box)



4 974019 024196

### ELECTRONIC ORGANIZERS

**ZQ-590A** (Clamshell)



4 974019 024165

**ZQ-290H** (Clamshell)



4 974019 024172

**ZQ-270P** (Box + Strap)



4 974019 022574

**ZQ-190P** (Box + Strap)



4 974019 021836

### ELECTRONIC ORGANIZERS

**ZQ-P20H** (Clamshell)



4 974019 024189

**EL-6990P** (Clamshell)



4 974019 023168

**ZQ-P10** (Blister Pack)



4 974019 023632

**EL-6910** (Box + Strap)



4 974019 023021

**EL-6053S** (Box + Strap)



4 974019 023038

### SCIENTIFIC CALCULATORS

#### GRAPHING

**EL-9900** (Box + Strap)



4 974019 022840

#### STANDARD

**EL-506W** (BK) (Box + Strap)



4 974019 024110

**EL-506W** (WH) (Blister Pack)



4 974019 024080

**EL-520W** (BK) (Box + Strap)



4 974019 024073

**EL-520W** (WH) (Blister Pack)



4 974019 024035

**EL-531WH** (BK) (Box + Strap)



4 974019 024028

**EL-531WH** (BL) (Blister Pack)



4 974019 024004

**EL-531WH** (BK) (Blister Pack)



4 974019 024011

**EL-509W** (BK) (Box + Strap)



4 974019 024257

**EL-510R** (Box + Strap)



4 974019 008875

**EL-510R** (Blister Pack)



**EL-501W** (BK) (Box + Strap)



4 974019 023878

#### PROGRAMMABLE

**EL-5120** (Box + Strap)



4 974019 020136

#### FINANCIAL

**EL-735** (Box)



4 974019 002217

**EL-733A** (Box + Strap)



4 974019 006840

### PRINTING CALCULATORS

#### DESKTOP

**CS-4194HC** (Box)



4 974019 024370

**EL-2630P II** (Box)



4 974019 023823

**EL-2607P** (Box)



4 974019 023663

**EL-1607P** (Box)



4 974019 023656

**EL-2910R** (Box)



4 974019 022604

**EL-2902C** (Box)



4 974019 021997

**EL-2901RH** (Box)



4 974019 023335

**EL-1801C** (Box + Strap)



4 974019 009247

**EL-1750P** (Box + Strap)



4 974019 022703

#### HAND-HELD

**EL-1611P** (Box + Strap)



4 974019 009292

### SUPER CHECK & CORRECT

#### SEMI-DESKTOP

**EL-792C** (Box + Strap)



4 974019 021898

#### NICE SIZE

**EL-782C** (Box + Strap)



4 974019 021904

#### MINI NICE SIZE

**EL-771C** (Box + Strap)



4 974019 021935

### OFFICE CALCULATORS

#### DESKTOP/SEMI-DESKTOP

**CS-2122H** (Box)



4 974019 006468

**CS-2130** (Box)



4 974019 001326

**EL-6138** (Box + Strap)



4 974019 023373

**EL-2135** (Box)



4 974019 006116

**EL-2125C** (Box + Strap)



4 974019 022772

**EL-2125C** (Blister Pack)



4 974019 022765

#### NICE SIZE

**EL-2128R** (Box + Strap)



4 974019 020716

**EL-2139S** (Box + Strap)



4 974019 023229

**EL-2139S** (Blister Pack)



4 974019 023236

**EL-338F** (Box + Strap)



4 974019 023380

**EL-338F** (Blister Pack)



4 974019 023397

**EL-387R** (Box + Strap)



4 974019 020723

## OFFICE CALCULATORS

**EL-337C** (Box + Strap)



**EL-337C** (Blister Pack)



**EL-339S** (Box + Strap)



**EL-339S** (Blister Pack)



**EL-421M** (Box + Strap)



**EL-334F** (Box + Strap)



### MINI NICE SIZE

**EL-334F** (Blister Pack)



**EL-332A** (Box + Strap)



**EL-332A** (Blister Pack)



**EL-331A** (Box + Strap)



**EL-331A** (Blister Pack)



**EL-330A** (Box + Strap)



**EL-330A** (Blister Pack)



**EL-310A** (Box + Strap)



**EL-310A** (Blister Pack)



**EL-M711G** (Window box + Strap)



**EL-M711G** (Blister Pack)



**EL-M710G** (Window box + Strap)



**EL-M710G** (Blister Pack)



**EL-M700G** (Window box + Strap)



## 12/14 DIGIT CALCULATORS

### NICE SIZE

**EL-145A** (Box + Strap)



**EL-125A** (Box + Strap)



### MINI NICE SIZE

**EL-144A** (Box + Strap)



**EL-124A** (Box + Strap)



### HAND-HELD/HARD COVER

**EL-143S** (Box + Strap)



**EL-123S** (Box + Strap)



## PERSONAL CALCULATORS

### WALLET/HAND-HELD

**EL-480S** (Box + Strap)



**EL-480S** (Blister Pack)



### MINI NICE SIZE

**EL-344G** (Blister Pack)



**EL-W211G** (Window box + Strap)



**EL-W211G** (Blister Pack)



**EL-327S** (Box + Strap)



**EL-327S** (Blister Pack)



**EL-326S** (Box + Strap)



**EL-326S** (Blister Pack)



**EL-379S** (Box + Strap)



**EL-379S** (Blister Pack)



**EL-377S** (Box + Strap)



**EL-377S** (Blister Pack)



**EL-371S** (Box + Strap)



**EL-371S** (Blister Pack)



**EL-W200G** (Window box + Strap)



**EL-W200G** (Blister Pack)



**EL-250S** (Box + Strap)



**EL-250S** (Blister Pack)



**EL-240SA** (Box + Strap)



**EL-240SA** (Blister Pack)



**EL-231L** (Box + Strap)



**EL-233S** (Box + Strap)



**EL-233S** (Blister Pack)



### HARD COVER

**EL-376S** (Box + Strap)



**EL-376S** (Blister Pack)



**EL-243S** (Box + Strap)



**EL-243S** (Blister Pack)



### CARD

**EL-879M** (Box + Strap)



**EL-879M** (Box + Strap)



# MERCHANDISING INFORMATION

## PACKING LIST

Quantity/CTN may be different than shown, depending on location.

| MODEL   | INDIVIDUAL CARTON |                       |                 |       |        | INNER CARTON |                       |           |          | MASTER CARTON         |                 |       |        |          |  |
|---|-------------------|-----------------------|-----------------|-------|--------|--------------|-----------------------|-----------|----------|-----------------------|-----------------|-------|--------|----------|--|
|   | PACKAGE TYPE      | G/W (kg)<br>(Approx.) | DIMENSIONS (mm) |       |        | Q'ty/CTN     | G/W (kg)<br>(Approx.) | M3        | Q'ty/CTN | G/W (kg)<br>(Approx.) | DIMENSIONS (mm) |       |        | M3       |  |
|   |                   |                       | DEPTH           | WIDTH | HEIGHT |              |                       |           |          |                       | DEPTH           | WIDTH | HEIGHT |          |  |
| <b>ELECTRONIC DICTIONARIES</b>  |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| PW-E500   | Box               | 0.33                  | 215             | 151   | 30     | 10           | 3.50                  | 0.0110822 | 40       | 15.0                  | 458             | 320   | 346    | 0.056398 |  |
| PW-E300   | Box               | 0.33                  | 215             | 151   | 30     | 10           | 3.50                  | 0.0110822 | 40       | 15.0                  | 458             | 320   | 346    | 0.056398 |  |
| <b>ELECTRONIC ORGANIZERS</b>  |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| ZQ-590A   | Clamshell         | 0.33                  | 260             | 190   | 42     | 10           | 3.50                  | 0.013134  | 40       | 15.1                  | 512             | 277   | 427    | 0.060559 |  |
| ZQ-290H   | Clamshell         | 0.33                  | 260             | 190   | 52     | 10           | 3.60                  | 0.023755  | 40       | 16.1                  | 556             | 448   | 427    | 0.106361 |  |
| ZQ-270P   | Box + Strap       | 0.44                  | 200+20          | 145   | 32     | 10           | 4.80                  | 0.012099  | 40       | 21.3                  | 448             | 351   | 372    | 0.058496 |  |
| ZQ-190P   | Box + Strap       | 0.35                  | 222+20          | 147   | 32     | 10           | 3.70                  | 0.012100  | 40       | 17.9                  | 448             | 351   | 372    | 0.058496 |  |
| ZQ-P20H   | Clamshell         | 0.45                  | 263             | 196   | 52     | 10           | 4.80                  | 0.023755  | 40       | 20.9                  | 556             | 448   | 427    | 0.106361 |  |
| EL-6990P  | Clamshell         | 0.35                  | 249             | 182   | 36     | 10           | 3.90                  | 0.024457  | 40       | 17.0                  | 540             | 402   | 442    | 0.095949 |  |
| ZQ-P10  | Blister Pack      | 0.15                  | 237             | 170   | 26     | 10           | 1.70                  | 0.0125257 | 80       | 15.6                  | 542             | 516   | 418    | 0.116903 |  |
| EL-6910   | Box + Strap       | 0.15                  | 147+20          | 93    | 21     | 10           | 1.60                  | 0.003932  | 80       | 13.7                  | 476             | 336   | 250    | 0.039984 |  |
| EL-6053S  | Box + Strap       | 0.14                  | 132+20          | 92    | 20     | 10           | 1.50                  | 0.003398  | 80       | 12.2                  | 456             | 308   | 248    | 0.034831 |  |
| <b>SCIENTIFIC CALCULATORS (GRAPHING, STANDARD, PROGRAMMABLE, FINANCIAL)</b> |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| EL-9900   | Box + Strap       | 0.67                  | 216+35          | 152   | 49     | 5            | 3.60                  | 0.010370  | 20       | 15.2                  | 480             | 276   | 382    | 0.050607 |  |
| EL-506W   | Box + Strap       | 0.19                  | 161             | 83    | 30     | 10           | 2.00                  | 0.004958  | 80       | 16.8                  | 363             | 335   | 382    | 0.046454 |  |
| EL-506W   | Blister Pack      | 0.18                  | 245             | 148   | 29     | 10           | 2.10                  | 0.0151013 | 80       | 18.6                  | 753             | 522   | 356    | 0.139932 |  |
| EL-520W   | Box + Strap       | 0.19                  | 161             | 83    | 30     | 10           | 2.00                  | 0.004958  | 80       | 16.8                  | 363             | 335   | 382    | 0.046454 |  |
| EL-520W   | Blister Pack      | 0.18                  | 245             | 148   | 29     | 10           | 2.10                  | 0.0151013 | 80       | 18.6                  | 753             | 522   | 356    | 0.139932 |  |
| EL-531WH  | Box + Strap       | 0.19                  | 161             | 83    | 32     | 10           | 2.10                  | 0.005266  | 80       | 17.7                  | 363             | 355   | 382    | 0.049227 |  |
| EL-531WH  | Blister Pack      | 0.20                  | 245             | 148   | 32     | 10           | 2.30                  | 0.0151013 | 80       | 20.3                  | 753             | 522   | 356    | 0.139932 |  |
| EL-509W   | Box + Strap       | 0.14                  | 161             | 83    | 30     | 10           | 1.80                  | 0.004958  | 80       | 15.6                  | 363             | 335   | 382    | 0.046454 |  |
| EL-510R   | Box + Strap       | 0.12                  | 131+20          | 79    | 22     | 10           | 1.30                  | 0.003039  | 80       | 14.4                  | 302             | 264   | 382    | 0.030456 |  |
| EL-510R   | Blister Pack      | 0.13                  | 230             | 148   | 20     | 10           | 1.50                  | 0.008722  | 80       | 12.8                  | 486             | 442   | 374    | 0.080340 |  |
| EL-501W   | Box + Strap       | 0.13                  | 150             | 82    | 24     | 10           | 1.50                  | 0.004224  | 80       | 12.0                  | 526             | 350   | 234    | 0.043080 |  |
| EL-5120   | Box + Strap       | 0.22                  | 187+20          | 119   | 26     | 10           | 2.30                  | 0.007699  | 80       | 19.2                  | 564             | 416   | 294    | 0.068980 |  |
| EL-735  | Box               | 0.26                  | 185             | 107   | 27     | 10           | 2.80                  | 0.007250  | 80       | 23.0                  | 610             | 410   | 275    | 0.068778 |  |
| EL-733A   | Box + Strap       | 0.22                  | 186+20          | 107   | 25     | 10           | 2.30                  | 0.006462  | 80       | 19.0                  | 519             | 409   | 280    | 0.059436 |  |
| <b>PRINTING CALCULATORS (DESKTOP, SEMI-DESKTOP, HAND-HELD)</b>              |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| CS-4194HC   | Box               | 2.46                  | 425             | 293   | 115    | —            | —                     | —         | 6        | 16.3                  | 610             | 446   | 388    | 0.105559 |  |
| EL-2630PII  | Box               | 2.57                  | 438             | 265   | 136    | —            | —                     | —         | 6        | 17.0                  | 548             | 456   | 433    | 0.108201 |  |
| EL-2607P  | Box               | 2.47                  | 438             | 265   | 136    | —            | —                     | —         | 6        | 16.4                  | 548             | 456   | 433    | 0.108201 |  |
| EL-1607P  | Box               | 1.86                  | 434             | 264   | 132    | —            | —                     | —         | 6        | 12.7                  | 546             | 452   | 433    | 0.106120 |  |
| EL-2910R  | Box               | 1.60                  | 388             | 268   | 89     | —            | —                     | —         | 6        | 11.3                  | 574             | 430   | 376    | 0.092804 |  |
| EL-2902C  | Box               | 1.20                  | 367             | 257   | 114    | —            | —                     | —         | 6        | 8.4                   | 532             | 385   | 376    | 0.077012 |  |
| EL-2901RH   | Box               | 1.36                  | 362             | 228   | 110    | —            | —                     | —         | 6        | 9.3                   | 476             | 384   | 367    | 0.067082 |  |
| EL-1801C  | Box + Strap       | 0.80                  | 297+30          | 218   | 78     | —            | —                     | —         | 10       | 8.8                   | 452             | 319   | 419    | 0.060415 |  |
| EL-1750P  | Box + Strap       | 0.80                  | 290+30          | 188   | 73     | —            | —                     | —         | 10       | 8.9                   | 398             | 314   | 409    | 0.051114 |  |
| EL-1611P  | Box + Strap       | 0.37                  | 265+35          | 125   | 55     | —            | —                     | —         | 10       | 4.4                   | 298             | 285   | 286    | 0.024290 |  |
| <b>SUPER CHECK &amp; CORRECT (SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)</b>  |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| EL-792C   | Box + Strap       | 0.27                  | 241+20          | 135   | 33     | 10           | 2.90                  | 0.012224  | 40       | 12.7                  | 472             | 351   | 348    | 0.057654 |  |
| EL-782C   | Box + Strap       | 0.20                  | 183+20          | 111   | 29     | 10           | 2.20                  | 0.007913  | 40       | 9.5                   | 412             | 320   | 300    | 0.039552 |  |
| EL-771C   | Box + Strap       | 0.17                  | 151+20          | 119   | 35     | 10           | 1.85                  | 0.008394  | 40       | 8.1                   | 381             | 346   | 316    | 0.041657 |  |
| <b>OFFICE CALCULATORS (DESKTOP/SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)</b> |                   |                       |                 |       |        |              |                       |           |          |                       |                 |       |        |          |  |
| CS-2122H  | Box               | 1.50                  | 330             | 268   | 118    | —            | —                     | —         | 6        | 9.8                   | 552             | 371   | 356    | 0.072906 |  |
| CS-2130   | Box               | 0.45                  | 210             | 181   | 32     | 10           | 4.70                  | 0.015075  | 40       | 20.1                  | 464             | 351   | 440    | 0.071660 |  |
| EL-6138   | Box + Strap       | 0.42                  | 202             | 166   | 52     | 10           | 4.45                  | 0.0209713 | 40       | 19.1                  | 564             | 452   | 388    | 0.098912 |  |
| EL-2135   | Box               | 0.38                  | 201             | 151   | 51     | 10           | 4.10                  | 0.018133  | 40       | 17.7                  | 544             | 436   | 380    | 0.090130 |  |
| EL-2125C  | Box + Strap       | 0.26                  | 199+20          | 144   | 27     | 10           | 2.70                  | 0.010018  | 40       | 11.7                  | 446             | 300   | 366    | 0.048971 |  |
| EL-2125C  | Blister Pack      | 0.28                  | 275             | 173   | 29     | 10           | 2.90                  | 0.016901  | 40       | 12.5                  | 592             | 315   | 424    | 0.079068 |  |
| EL-2128R  | Box + Strap       | 0.26                  | 180+20          | 131   | 25     | 10           | 2.80                  | 0.007887  | 40       | 12.0                  | 410             | 281   | 340    | 0.039171 |  |
| EL-2139S  | Box + Strap       | 0.28                  | 198             | 143   | 25     | 10           | 3.00                  | 0.009104  | 40       | 12.8                  | 448             | 286   | 350    | 0.044845 |  |
| EL-2139S  | Blister Pack      | 0.30                  | 275             | 173   | 24     | 10           | 3.30                  | 0.012984  | 40       | 14.1                  | 482             | 305   | 424    | 0.062332 |  |
| EL-338F   | Box + Strap       | 0.29                  | 204             | 136   | 27     | 10           | 3.10                  | 0.0093934 | 40       | 13.2                  | 450             | 306   | 336    | 0.046268 |  |
| EL-338F   | Blister Pack      | 0.30                  | 275             | 173   | 25     | 10           | 3.20                  | 0.0151106 | 40       | 14.1                  | 558             | 305   | 424    | 0.072161 |  |
| EL-387R   | Box + Strap       | 0.20                  | 172+20          | 111   | 24     | 10           | 2.10                  | 0.005704  | 40       | 9.0                   | 386             | 266   | 284    | 0.029160 |  |
| EL-337C   | Box + Strap       | 0.20                  | 180+20          | 112   | 26     | 10           | 2.20                  | 0.007097  | 40       | 9.6                   | 406             | 291   | 302    | 0.035680 |  |

| MODEL  | INDIVIDUAL CARTON  |                       |                 |       |        | INNER CARTON |                       |           | MASTER CARTON |                       |                 |       |        |          |
|--|--------------------|-----------------------|-----------------|-------|--------|--------------|-----------------------|-----------|---------------|-----------------------|-----------------|-------|--------|----------|
|  | PACKAGE TYPE       | G/W (kg)<br>(Approx.) | DIMENSIONS (mm) |       |        | Q'ty/CTN     | G/W (kg)<br>(Approx.) | M3        | Q'ty/CTN      | G/W (kg)<br>(Approx.) | DIMENSIONS (mm) |       |        | M3       |
|  |                    |                       | DEPTH           | WIDTH | HEIGHT |              |                       |           |               |                       | DEPTH           | WIDTH | HEIGHT |          |
| <b>OFFICE CALCULATORS (DESKTOP/SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)</b>      |                    |                       |                 |       |        |              |                       |           |               |                       |                 |       |        |          |
| EL-337C  | Blister Pack       | 0.23                  | 245             | 148   | 27     | 10           | 2.50                  | 0.007172  | 40            | 11.1                  | 592             | 312   | 374    | 0.069079 |
| EL-339S  | Box + Strap        | 0.20                  | 179             | 111   | 22     | 10           | 2.20                  | 0.005758  | 40            | 9.4                   | 410             | 256   | 286    | 0.030019 |
| EL-339S  | Blister Pack       | 0.23                  | 245             | 148   | 20     | 10           | 2.50                  | 0.008388  | 40            | 10.6                  | 402             | 275   | 374    | 0.041346 |
| EL-421M  | Box + Strap        | 0.20                  | 173             | 115   | 24     | 10           | 2.20                  | 0.006387  | 40            | 9.6                   | 388             | 270   | 308    | 0.032266 |
| EL-334F  | Box + Strap        | 0.20                  | 173+20          | 115   | 24     | 10           | 2.20                  | 0.006387  | 40            | 9.6                   | 388             | 270   | 308    | 0.032266 |
| EL-334F  | Blister Pack       | 0.23                  | 245             | 148   | 25     | 10           | 2.50                  | 0.011447  | 40            | 11.1                  | 532             | 280   | 374    | 0.055711 |
| EL-332A  | Box + Strap        | 0.15                  | 145+20          | 104   | 31     | 10           | 1.60                  | 0.006492  | 40            | 7.2                   | 340             | 338   | 286    | 0.032867 |
| EL-332A  | Blister Pack       | 0.17                  | 245             | 148   | 38     | 10           | 3.50                  | 0.015816  | 40            | 15.6                  | 532             | 380   | 374    | 0.075608 |
| EL-331A  | Box + Strap        | 0.13                  | 151+20          | 102   | 19     | 10           | 1.40                  | 0.004158  | 40            | 6.0                   | 350             | 220   | 282    | 0.021714 |
| EL-331A  | Blister Pack       | 0.14                  | 250             | 148   | 19     | 10           | 1.50                  | 0.008997  | 40            | 10.3                  | 422             | 280   | 374    | 0.044192 |
| EL-330A  | Box + Strap        | 0.13                  | 151+20          | 102   | 19     | 10           | 1.40                  | 0.004158  | 40            | 6.0                   | 350             | 220   | 282    | 0.021714 |
| EL-330A  | Blister Pack       | 0.14                  | 250             | 148   | 19     | 10           | 1.50                  | 0.008997  | 40            | 10.3                  | 422             | 280   | 374    | 0.044192 |
| EL-310A  | Box + Strap        | 0.10                  | 116+20          | 90    | 23     | 10           | 1.10                  | 0.003524  | 40            | 5.0                   | 278             | 260   | 258    | 0.018648 |
| EL-310A  | Blister Pack       | 0.12                  | 230             | 148   | 23     | 10           | 1.40                  | 0.009133  | 40            | 6.5                   | 462             | 260   | 374    | 0.044925 |
| EL-M711G   | Window box + Strap | 0.27                  | 219             | 142   | 36     | 10           | 2.67                  | 0.015128  | 40            | 11.9                  | 498             | 400   | 364    | 0.072509 |
| EL-M711G   | Blister Pack       | 0.18                  | 245             | 148   | 36     | 10           | 2.05                  | 0.0133853 | 40            | 9.3                   | 519             | 357   | 350    | 0.064850 |
| EL-M710G   | Window box + Strap | 0.27                  | 219             | 142   | 36     | 10           | 2.67                  | 0.015128  | 40            | 11.9                  | 498             | 400   | 364    | 0.072509 |
| EL-M710G   | Blister Pack       | 0.18                  | 245             | 148   | 36     | 10           | 2.05                  | 0.0133853 | 40            | 9.3                   | 519             | 357   | 350    | 0.064850 |
| EL-M700G   | Window box + Strap | 0.17                  | 183             | 128   | 32     | 10           | 1.81                  | 0.010535  | 40            | 8.2                   | 426             | 360   | 366    | 0.051529 |
| <b>12/14 DIGIT CALCULATORS (NICE SIZE, MINI NICE SIZE, HAND-HELD/HARD COVER)</b> |                    |                       |                 |       |        |              |                       |           |               |                       |                 |       |        |          |
| EL-145A  | Box + Strap        | 0.18                  | 169+20          | 108   | 23     | 10           | 1.90                  | 0.005789  | 40            | 8.3                   | 386             | 260   | 294    | 0.029506 |
| EL-125A  | Box + Strap        | 0.18                  | 169+20          | 108   | 23     | 10           | 1.90                  | 0.005789  | 40            | 8.3                   | 386             | 260   | 294    | 0.029506 |
| EL-144A  | Box + Strap        | 0.13                  | 151+20          | 102   | 19     | 10           | 1.40                  | 0.004158  | 40            | 6.0                   | 350             | 220   | 282    | 0.021714 |
| EL-124A  | Box + Strap        | 0.13                  | 151+20          | 102   | 19     | 10           | 1.40                  | 0.004158  | 40            | 6.0                   | 350             | 220   | 282    | 0.021714 |
| EL-143S  | Box + Strap        | 0.08                  | 118+20          | 75    | 15     | 40           | 3.50                  | 0.008087  | 160           | 14.9                  | 342             | 330   | 354    | 0.039952 |
| EL-123S  | Box + Strap        | 0.08                  | 118+20          | 75    | 15     | 40           | 3.50                  | 0.008087  | 160           | 14.9                  | 342             | 330   | 354    | 0.039952 |
| <b>PERSONAL CALCULATORS (WALLET/HAND-HELD, HARD COVER, CARD)</b>                 |                    |                       |                 |       |        |              |                       |           |               |                       |                 |       |        |          |
| EL-480S  | Box + Strap        | 0.11                  | 128+20          | 78    | 18     | 40           | 4.60                  | 0.010010  | 160           | 19.4                  | 394             | 335   | 354    | 0.046725 |
| EL-480S  | Blister Pack       | 0.12                  | 230             | 122   | 17     | 40           | 5.60                  | 0.023562  | 160           | 24.2                  | 536             | 379   | 538    | 0.109292 |
| EL-344G  | Blister Pack       | 0.12                  | 230             | 122   | 15     | 40           | 4.80                  | 0.022517  | 160           | 20.8                  | 536             | 259   | 538    | 0.074687 |
| EL-W211G   | Window box + Strap | 0.12                  | 183             | 106   | 16     | 40           | 4.92                  | 0.018376  | 160           | 21.0                  | 470             | 370   | 496    | 0.086254 |
| EL-W211G   | Blister Pack       | 0.09                  | 210             | 122   | 16     | 40           | 3.78                  | 0.0200694 | 160           | 16.5                  | 536             | 357   | 489    | 0.093572 |
| EL-327S  | Box + Strap        | 0.09                  | 118+20          | 72    | 15     | 40           | 3.70                  | 0.007776  | 160           | 15.6                  | 342             | 318   | 354    | 0.038500 |
| EL-327S  | Blister Pack       | 0.11                  | 230             | 122   | 15     | 40           | 4.80                  | 0.021473  | 160           | 20.7                  | 536             | 347   | 538    | 0.100064 |
| EL-326S  | Box + Strap        | 0.09                  | 118+20          | 72    | 15     | 40           | 3.70                  | 0.007776  | 160           | 15.6                  | 342             | 318   | 354    | 0.038500 |
| EL-326S  | Blister Pack       | 0.11                  | 230             | 122   | 15     | 40           | 4.80                  | 0.021473  | 160           | 20.7                  | 536             | 347   | 538    | 0.100064 |
| EL-379S  | Box + Strap        | 0.07                  | 120             | 73    | 13     | 40           | 3.10                  | 0.007317  | 160           | 13.0                  | 332             | 314   | 346    | 0.036070 |
| EL-379S  | Blister Pack       | 0.10                  | 210             | 122   | 14     | 40           | 4.20                  | 0.013945  | 160           | 18.0                  | 525             | 501   | 250    | 0.065756 |
| EL-377S  | Box + Strap        | 0.07                  | 120+20          | 73    | 13     | 40           | 3.10                  | 0.007317  | 160           | 13.0                  | 332             | 314   | 346    | 0.036070 |
| EL-377S  | Blister Pack       | 0.10                  | 210             | 122   | 14     | 40           | 4.20                  | 0.016531  | 160           | 18.4                  | 564             | 540   | 266    | 0.081013 |
| EL-371S  | Box + Strap        | 0.07                  | 112+20          | 71    | 15     | 40           | 2.80                  | 0.007399  | 160           | 12.1                  | 337             | 330   | 342    | 0.038034 |
| EL-371S  | Blister Pack       | 0.09                  | 230             | 122   | 13     | 40           | 3.70                  | 0.018406  | 160           | 16.6                  | 536             | 300   | 538    | 0.086510 |
| EL-W200G   | Window box + Strap | 0.10                  | 171             | 96    | 16     | 40           | 4.30                  | 0.015880  | 160           | 18.5                  | 430             | 370   | 472    | 0.075095 |
| EL-W200G   | Blister Pack       | 0.08                  | 210             | 122   | 16     | 40           | 3.30                  | 0.0200694 | 160           | 14.8                  | 536             | 357   | 489    | 0.093572 |
| EL-250S  | Box + Strap        | 0.07                  | 118+20          | 74    | 19     | 40           | 2.90                  | 0.009955  | 160           | 12.4                  | 422             | 326   | 354    | 0.048700 |
| EL-250S  | Blister Pack       | 0.09                  | 230             | 122   | 19     | 40           | 3.90                  | 0.026695  | 160           | 17.4                  | 536             | 427   | 538    | 0.123133 |
| EL-240SA   | Box + Strap        | 0.08                  | 121             | 75    | 21     | 40           | 3.40                  | 0.0110139 | 160           | 15.2                  | 464             | 331   | 357    | 0.054830 |
| EL-240SA   | Blister Pack       | 0.09                  | 230             | 122   | 20     | 40           | 4.00                  | 0.026478  | 160           | 17.4                  | 547             | 417   | 522    | 0.119068 |
| EL-231L  | Box + Strap        | 0.10                  | 109+20          | 73    | 24     | 40           | 4.20                  | 0.012487  | 160           | 17.6                  | 522             | 322   | 356    | 0.059838 |
| EL-233S  | Box + Strap        | 0.05                  | 108+20          | 65    | 13     | 40           | 2.10                  | 0.006257  | 160           | 9.1                   | 302             | 290   | 358    | 0.031354 |
| EL-233S  | Blister Pack       | 0.05                  | 180             | 122   | 14     | 40           | 2.60                  | 0.012947  | 160           | 11.9                  | 529             | 284   | 424    | 0.063700 |
| EL-376S  | Box + Strap        | 0.08                  | 118+20          | 75    | 15     | 40           | 3.50                  | 0.008087  | 160           | 14.9                  | 342             | 330   | 354    | 0.039952 |
| EL-376S  | Blister Pack       | 0.11                  | 230             | 122   | 15     | 40           | 4.60                  | 0.021473  | 160           | 19.9                  | 536             | 347   | 538    | 0.100064 |
| EL-243S  | Box + Strap        | 0.07                  | 108+20          | 67    | 15     | 40           | 2.20                  | 0.006804  | 160           | 9.4                   | 342             | 298   | 334    | 0.034040 |
| EL-243S  | Blister Pack       | 0.07                  | 230             | 122   | 14     | 40           | 3.30                  | 0.020168  | 160           | 14.6                  | 536             | 327   | 538    | 0.094296 |
| EL-879M  | Box + Strap        | 0.07                  | 111+20          | 76    | 15     | 40           | 3.00                  | 0.008421  | 160           | 12.7                  | 362             | 338   | 340    | 0.041601 |

# MERCHANDISING INFORMATION

## MANUAL LANGUAGES

Some manuals are not available in some languages. Please check the chart below.

| MODEL  | ENGLISH   | GERMAN | FRENCH | SPANISH | ITALIAN | DUTCH | SWEDISH | PORTUGUESE | ARABIC | THAI | CHINESE | RUSSIAN | KOREAN | INDONESIAN | TURKISH |
|--|---|--------|--------|---------|---------|-------|---------|------------|--------|------|---------|---------|--------|------------|---------|
| <b>ELECTRONIC DICTIONARIES</b>   |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| PW-E500  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| PW-E300  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| <b>ELECTRONIC ORGANIZERS</b>   |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| ZQ-590A  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| ZQ-290H  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| ZQ-270P  | •   |        |        |         |         |       |         |            |        | •    |         |         |        |            |         |
| ZQ-190P  | •   |        |        |         |         |       |         |            | •      |      |         |         |        |            |         |
| ZQ-P20H  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-6990P   | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| ZQ-P10   | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-6910  | •   |        |        |         |         |       |         |            | •      |      |         |         |        |            |         |
| EL-6053S   | •   |        |        |         |         |       |         |            | •      |      |         |         |        |            |         |
| <b>SCIENTIFIC CALCULATORS (GRAPHING, STANDARD, PROGRAMMABLE, FINANCIAL)</b>      |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-9900  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-506W  | •   |        |        |         | •       |       |         |            |        | •    | •       | •       |        |            | •       |
| EL-520W  | •   |        |        |         | •       |       |         |            | •      | •    | •       |         |        | •          | •       |
| EL-531WH   | •   |        |        |         | •       |       |         |            | •      | •    | •       |         |        | •          | •       |
| EL-509W  | •   |        |        |         |         |       |         |            | •      | •    | •       |         |        |            |         |
| EL-510R  | •   |        |        |         |         |       |         |            |        | •    |         |         |        |            |         |
| EL-501W  | •   |        |        |         | •       |       |         |            | •      | •    | •       |         |        | •          |         |
| EL-5120  | •   | •      | •      | •       | •       | •     |         | •          |        |      |         |         |        |            |         |
| EL-735   | •   |        | •      |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-733A  | •   |        | •      |         |         |       |         |            |        |      |         |         |        |            |         |
| <b>PRINTING CALCULATORS (DESKTOP, SEMI-DESKTOP, HAND-HELD)</b>                   |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| CS-4194HC  | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2630P II  | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2607P   | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-1607P   | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2910R   | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2902C   | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2901RH  | •   | •      | •      | •       | •       | •     |         | •          | •      | •    |         |         |        |            | •       |
| EL-1801C   | •   |        | •      | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-1750P   | •   |        | •      | •       | •       |       |         |            |        |      |         |         |        |            |         |
| EL-1611P   | •   |        | •      | •       | •       |       |         |            |        |      |         |         |        |            |         |
| <b>SUPER CHECK &amp; CORRECT (SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)</b>       |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-792C  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       | •       | •      | •          | •       |
| EL-782C  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       | •       | •      | •          | •       |
| EL-771C  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       | •       | •      | •          | •       |
| <b>OFFICE CALCULATORS (DESKTOP/SEMI-DESKTOP, NICE SIZE, MINI NICE SIZE)</b>      |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| CS-2122H   | •   |        |        | •       | •       |       |         |            |        |      |         |         |        |            |         |
| CS-2130  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-6138  | •   |        |        |         | •       |       |         |            |        |      |         |         |        |            |         |
| EL-2135  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-2125C   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-2128R   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            | •       |
| EL-2139S   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-338F  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-387R  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-337C  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-339S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-421M  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-334F  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-332A  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-331A  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-330A  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-310A  | No manual available. Operating instructions are printed on the product's box.   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-M711G   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-M710G   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-M700G   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| <b>12/14 DIGIT CALCULATORS (NICE SIZE, MINI NICE SIZE, HAND-HELD/HARD COVER)</b> |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-145A  | •   |        |        |         |         |       |         |            |        |      | •       |         |        |            | •       |
| EL-125A  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-144A  | •   |        |        |         |         |       |         |            |        |      | •       |         |        |            | •       |
| EL-124A  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-143S  | •   |        |        |         |         |       |         |            |        | •    |         |         |        |            | •       |
| EL-123S  | •   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| <b>PERSONAL CALCULATORS (WALLET/HAND-HELD, HARD COVER, CARD)</b>                 |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-480S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            | •       |
| EL-344G  | •   |        | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-W211G   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-327S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-326S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-379S  | } No manual available. Operating instructions are printed on the product's box. |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-377S  | } No manual available. Operating instructions are printed on the product's box. |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-371S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-W200G   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-250S  | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-240SA   | •   | •      | •      | •       | •       | •     | •       | •          | •      | •    | •       |         |        |            |         |
| EL-231L  |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-233S  |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-376S  |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-243S  |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |
| EL-879M  |   |        |        |         |         |       |         |            |        |      |         |         |        |            |         |

## ACCESSORIES AND OPTIONS

### BATTERY

#### Alkaline Manganese Battery

| Model            | LR1130    |                      | LR44     |         |          |         |          | LR6      |         | LR03     |         |
|------------------|-----------|----------------------|----------|---------|----------|---------|----------|----------|---------|----------|---------|
| Applicable model | EL-879M   | EL-326M              | EL-M711G | EL-509W | EL-338A  | EL-125A | EL-99T   | ZQ-700PC | EL-9900 | ZQ-590   | ZQ-590A |
|                  | EL-869GII | EL-326S              | EL-M710G | EL-506R | EL-337C  | EL-124A | EL-6135  |          | EL-99T  | ZQ-590   | ZQ-570  |
|                  | EL-869G   | EL-320L              | EL-M700G | EL-506V | EL-337M  |         | EL-531LH |          | EL-9650 | ZQ-570   | ZQ-540P |
|                  | EL-480G   | EL-310A              | EL-733A  | EL-506W | EL-335H  |         | EL-531RH |          | EL-965T | ZQ-570PC | ZQ-520P |
|                  | EL-480S   | EL-250S              | EL-556L  | EL-5020 | EL-334A  |         | EL-531VH |          | EL-9600 | ZQ-540P  |         |
|                  | EL-430S   | EL-243L              | EL-546L  | EL-501V | EL-334F  |         | EL-531WH |          | EL-96T  | ZQ-520P  |         |
|                  | EL-379S   | EL-243S              | EL-546VA | EL-501W | EL-334L  |         | EL-2626H |          | EL-9450 |          |         |
|                  | EL-377S   | EL-240L              | EL-520L  | EL-500L | EL-332A  |         | EL-242M  |          | EL-945T |          |         |
|                  | EL-376L   | EL-240S              | EL-520R  | EL-421M | EL-331A  |         | EL-231L  |          | EL-9400 |          |         |
|                  | EL-376S   | EL-240SA             | EL-520V  | EL-420M | EL-330A  |         | EL-1801C | PW-E500  |         |          |         |
|                  | EL-371S   | EL-233L              | EL-520VA | EL-4125 | EL-2139S |         | EL-1801L | PW-E300  |         |          |         |
|                  | EL-342M   | EL-233S              | EL-520W  | EL-410M | EL-2128R |         | EL-1750P | ZQ-6800  |         |          |         |
|                  | EL-341S   | EL-2135 <sup>1</sup> | EL-510R  | EL-387R | EL-2125  |         | EL-1611L | ZQ-6600  |         |          |         |
|                  | EL-331L   | EL-143S              | EL-509L  | EL-354M | EL-2125C |         | EL-1611P | ZQ-650   |         |          |         |
|                  | EL-330L   | EL-123S              | EL-509R  | EL-339S | EL-145A  |         | SE-300   | ZQ-640   |         |          |         |
|                  | EL-327S   |                      | EL-509V  | EL-338F | EL-144A  |         | ZQ-750PC | ZQ-630   |         |          |         |

#### Lithium Battery

| Model            | CR2032  |         |          |          |                      |          | CR2025  |          | CR2016  |          |
|------------------|---------|---------|----------|----------|----------------------|----------|---------|----------|---------|----------|
| Applicable model | CS-2130 | EL-96T  | EL-782C  | EL-6810  | EL-6620              | ZQ-480P  | ZQ-190P | EL-6690  | EL-5120 | EL-W211G |
|                  | EL-9900 | EL-950  | EL-771C  | EL-6790P | EL-6138              | ZQ-470   | ZQ-180P | EL-6660  |         | EL-W200G |
|                  | EL-99T  | EL-9450 | EL-6990P | EL-6750  | EL-2135 <sup>1</sup> | ZQ-290II | ZQ-170  | EL-6620  |         | EL-735   |
|                  | EL-9650 | EL-945T | EL-6910  | EL-6710S | ZQ-P20               | ZQ-290H  | ZQ-160  | EL-6053  |         | EL-6092  |
|                  | EL-965T | EL-9400 | EL-6890P | EL-6690  | ZQ-P20H              | ZQ-290P  | ZQ-150  | EL-6053S |         | EL-6051  |
|                  | EL-9600 | EL-792C | EL-6850  | EL-6660  | ZQ-P10               | ZQ-270P  |         | EL-6052  |         |          |

### AC ADAPTER

| Model            | EA-28A   |          |          |
|------------------|----------|----------|----------|
| Applicable model | EL-2626H | EL-1801L | EL-1611L |

### HALF-SIZE RAM CARD with BATTERY

| Model            | CE-2H16M <sup>2</sup> |          |
|------------------|-----------------------|----------|
| Applicable model |                       | PC-E500S |

### INK RIBBON

| Model            | URBNT1007CCZZ |                        |
|------------------|---------------|------------------------|
| Applicable model | CS-4194       | EL-2631L               |
|                  | CS-4194H      | EL-2630L               |
|                  | CS-4194HC     | EL-2630P <sup>II</sup> |
|                  | CS-2195L      | EL-2615G               |
|                  | CS-2194       | EL-2607P               |

### PAPER ROLL

| Model            | DPAPR1004CSZZ <sup>3</sup> |           |          |          |          | EA-7100P <sup>4</sup> |
|------------------|----------------------------|-----------|----------|----------|----------|-----------------------|
| Applicable model | CS-4194                    | EL-2910R  | EL-2630L | EL-1801C | EL-1607R | EL-1611L              |
|                  | CS-4194H                   | EL-2902C  | EL-2626H | EL-1801L | EL-1195L | EL-1611P              |
|                  | CS-4194HC                  | EL-2901C  | EL-2615G | EL-1750P |          |                       |
|                  | CS-2195L                   | EL-2901RH | EL-2607R | EL-1611L |          |                       |
|                  | CS-2194                    | EL-2631L  | EL-2195L | EL-1611P |          |                       |

### INK ROLLER

| Model            | EA-732R  | EA-772R  | EA-781R-BK/EA-781R-RD <sup>5</sup> | EA-741R   |
|------------------|----------|----------|------------------------------------|---|
| Applicable model | EL-1801L | EL-1611P | EL-2901RH EL-1750P<br>EL-2626H     | EL-2910R EL-2901C EL-1801C EL-1195L<br>EL-2902C EL-2195L EL-1607P |

### ACCESSORY LINK KIT

#### PC-Link Software & Cable

| Model            | CE-491FD (without cable) <sup>6</sup>  | CE-491W <sup>6, 8</sup>   | CE-690W (cable option) <sup>6</sup> | CE-LK2  | CE-LK1P <sup>9</sup>                     |
|------------------|--|---|-------------------------------------|---------|--|
| Applicable model | EL-6890P <sup>7</sup><br>EL-6790P <sup>7</sup><br>ZO-480P <sup>7</sup><br>ZQ-190P <sup>7</sup><br>ZQ-180P <sup>7</sup> | EL-6850 ZQ-5400 ZQ-4300 ZQ-2800 ZQ-160<br>EL-6750 ZQ-470 ZQ-4200 ZQ-2700 ZQ-150<br>EL-6690 ZO-4600 ZO-4000 ZO-2600<br>EL-6660 ZO-4500 ZO-3200 ZQ-2500<br>ZQ-5900 ZQ-4400 ZQ-3000 ZQ-170 | ZQ-8600<br>ZQ-6800<br>ZQ-6600       | EL-9900 | EL-9650<br>EL-9600<br>EL-9450<br>EL-9400 |

#### Docking Station

| Model            | CE-60K <sup>10</sup> /CE-61T <sup>11</sup> |                    |                    |
|------------------|--|--------------------|--------------------|
| Applicable model | ZQ-650<br>ZQ-650PC                         | ZQ-640PC<br>ZQ-630 | ZQ-630PC<br>ZQ-570 |

#### Level Converter

| Model            | CE-133T/CE-135T <sup>12</sup> |                    |         |
|------------------|-------------------------------|--------------------|---------|
| Applicable model | ZQ-8600<br>ZQ-6800            | ZQ-6600<br>ZQ-6200 | ZQ-6000 |

#### Set-to-Set Communication Cable

| Model            | CE-300L (4-pin)  |   |   |  |  | CE-451L (3-pin) | CE-450L (3-pin)  | CE-260L <sup>8</sup> (3-pin)   |
|------------------|--|---|---|--|--|-----------------|--|--|
| Applicable model | EL-6690<br>EL-6660<br>ZO-650<br>ZQ-650PC<br>ZO-640PC<br>ZQ-630 | ZQ-630PC<br>ZQ-6200<br>ZQ-6000<br>ZQ-5900<br>ZQ-570<br>ZQ-570PC | ZQ-5400<br>ZQ-470<br>ZQ-4600<br>ZQ-4500<br>ZQ-4400<br>ZQ-4300 | ZQ-4200<br>ZQ-4000<br>ZQ-3200<br>ZQ-3000<br>ZQ-2800<br>ZQ-2700 | ZQ-2600<br>ZQ-2500<br>ZQ-170<br>ZQ-150<br>ZQ-170<br>ZQ-170 | EL-9900         | EL-9650<br>EL-9600<br>EL-9450<br>EL-9400<br>EL-9400<br>EL-9400 | EL-6890P<br>EL-6850<br>EL-6790P<br>ZO-180P<br>ZO-160<br>ZO-480P<br>ZO-190P |

\*1 See the back of the calculator for compatibility.

\*2 CE-2H16M: 16KB

\*3 5 rolls/pack, 58 (W) x 80 (ø) mm

\*4 58 (W) x 25 (ø) mm

\*5 EA-781R-BK: Black, EA-781R-RD: Red

\*6 English version only.

\*7 Use either CE-491W or CE-491FD.

\*8 May not be available in some regions as stocks are very limited.

\*9 English and French version only.

\*10 English version only. With PC Link & PIM software.

\*11 Without software.

\*12 CE-130T/CE-133T: for IBM-PC (RS232C), CE-135T: for MAC (RS422)



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>