




# EASY TO USE AND POPULAR 3" Chipper/Shredders



.375" .75" 1.5" Wet  
Standard Debris

These chipper/shredders come with 1.5" standard screen, 3 additional screens available.



These chipper/shredders have easy access to the discharge door, making debris simple to move.



The new "Four-Wheel Tow Hitch", 75591-00, allows for easy hookup and towing capabilities.



Model SC3270 (70380)

Model SC3270T (70580)

Model	Engine*	Size (LxWxH)	Chipper Capacity	Hopper Size	Chipper Shredders	Weight (Lbs.)	Start	Clutch	Tires
SC3270 (70380)	Honda 270 cc	38"x23"x46"	3"	12" x 22"	2 chipper blades 12 shredder knives	242	recoil	manual	410/350-4 pneumatic
SC3270T* (70580)	Honda 270 cc	44"x57"x49"	3"	12" x 22"	2 chipper blades 12 shredder knives	330	recoil	manual	480/400-8 pneumatic

\*Model 70580 is road towable



**Find a dealer near you!**

Call us at 800.247.7335 or

Log onto [www.BearCatProducts.com](http://www.BearCatProducts.com)

237 12th St. NW • P.O. Box 849, West Fargo, ND 58078

Email: [sales@bearcatproducts.com](mailto:sales@bearcatproducts.com)

Fax: 701.282.9522



# 3" Chipper/Shredders Specs

## 270 CC HONDA OHV ENGINE

- Fuel consumption is .7 gallons per hour at full load.

## TWO CHIPPING BLADES

High chrome content reversible, heat treated chipper steel blades [3.125" x 2" x .25"] quickly chip limbs up to 2.75" [7.6cm] diameter. The cutting edge is machined at a 45-degree angle for more steel up front. The 45-degree angle also draws the wood into the chipper.

## SHREDDING EFFICIENCY

Exclusive serrated, free-swinging shredder knives are heat-treated for strength and durability. Two edges, which are easily reversed, double the shredding life. Mounted in a staggered pattern to reduce any dead space.

## BALANCED ROTOR

- 2 chipping blades and 12 shredder knives.
- Double-belt rotor drive.

## BUILT TO LAST

- Extra strength and reinforcements in areas that matter most
- Built to last with 16 gauge steel construction.

## LARGE HOPPER

- Extra wide, extra deep, 15.75" x 7.5"

## BOTH MODELS HAVE STANDARD COARSE SCREEN - 1.5" HOLES

## DISCHARGE SCREEN

- Heavy-duty discharge screens available in 4 different sizes to fit your particular needs.
- Quick and easy to change

## STABILITY

Wide tire track and full width front leg give maximum stability.

## DIAMOND SHAPED CHIPPER CHUTE

Enables you to insert most irregular limbs even if they have some knobs on them.

## PNEUMATIC TIRES WITH GREASE ZERKS

Wheels feature grease zerks, enabling easy greasing of the hub.

## DIMENSIONS:

- SC3270 (70380) – Length: 38", Width: 23", Height: 46"
- SC3270T (70580) – Length: 44", Width: 57", Height: 49"

## DECIBEL LEVELS:

- SC3270 (70380) – 111 decibels
- SC3270T (70580) – 111 decibels

## SAFETY

- Meets all applicable ANSI safety standards.

## OPTIONS:

- 70089 - Leaf Tamper
- 70251 - Blower Attachment Package  
(ALL MODELS EXCEPT SC3206 70050)
- 70303 - Fine Screen: .375" Holes
- 70305 - Medium Screen: .75" Holes
- 70494 - Wet Debris Screen
- 70301 - Standard Coarse Screen

Backed by ECHO Bear Cat's

**WARRANTY**

**2 year consumer**

**1 year commercial**



**Find a dealer near you!**

Call us at 800.247.7335 or

Log onto [www.BearCatProducts.com](http://www.BearCatProducts.com)

237 12th St. NW • P.O. Box 849, West Fargo, ND 58078

Email: [sales@bearcatproducts.com](mailto:sales@bearcatproducts.com)

Fax: 701.282.9522

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>