



Regal Series Gas Griddles

Item: _____
 Quantity: _____
 Project: _____
 Approval: _____
 Date: _____

Regal Series Gas Griddles

Models:

- RGTA-2424-1 RGTA-2436-1 RGTA-2448-1 RGTA-2460-1 RGTA-2472-1
 RGM-2424-1 RGM-2436-1 RGM-2448-1 RGM-2460-1 RGM-2472-1



Model RGTA-2436-1



Model RGM-2448-1

Standard Features:

- Built-in front grease trough
- Large capacity removable grease can
- Aluminized steel, 24,000 BTU/hr burners, (one every 12" of griddle width)
- 3/4" gas regulator
- 1" thick cold rolled steel plate
- 4" (102mm), stainless steel legs with adjustable feet
- 14 gauge splash guard
- Stainless steel front, sides, and landing ledge

- All RGTA models are thermostat-controlled; 100°F - 450°F, (RGM models are valve-controlled)

Optional Features:

- Grooved griddle, (in 12" increments)
- Stainless steel equipment stand
- Casters on stand - swivel type




Model #	Description	Total BTU		Shipping Information	
		Natural	Propane	Lbs/Kg	Cu Ft
Thermostat Controlled Standard Griddle (1" steel plate)					
RGTA-2424-1	Griddle 22"(559mm) x 24"(610mm)	48,000	48,000	270/122	18
RGTA-2436-1	Griddle 22"(559mm) x 36"(914mm)	72,000	72,000	370/168	22
RGTA-2448-1	Griddle 22"(559mm) x 48"(1219mm)	96,000	96,000	441/200	33
RGTA-2460-1	Griddle 22"(559mm) x 60"(1524mm)	120,000	120,000	578/262	40
RGTA-2472-1	Griddle 22"(559mm) x 72"(1829mm)	144,000	144,000	800/363	47
Manually Controlled Standard Griddle (1" steel plate)					
RGM-2424-1	Griddle 22"(559mm) x 24"(610mm)	48,000	48,000	247/112	18
RGM-2436-1	Griddle 22"(559mm) x 36"(914mm)	72,000	72,000	359/159	22
RGM-2448-1	Griddle 22"(559mm) x 48"(1219mm)	96,000	96,000	446/202	33
RGM-2460-1	Griddle 22"(559mm) x 60"(1524mm)	120,000	120,000	561/254	40
RGM-2472-1	Griddle 22"(559mm) x 72"(1829mm)	144,000	144,000	690/309	47

Garland Commercial Industries, LLC
 185 East South Street
 Freeland, PA 18224
 Phone: (570) 636-1000
 Fax: (570) 636-3903

Garland Commercial Ranges Ltd
 1177 Kamato Road,
 Mississauga, Ontario
 L4W 1X4 CANADA
 Phone: 905-624-0260
 Fax: 905-624-5669

Enodis UK LTD
 Swallowfield Way,
 Hayes, Middlesex
 UB3 1DQ ENGLAND
 Telephone: 081-561-0433
 Fax: 081-848-0041





Garland/U.S. Range products are not approved or authorized for home or residential use, but are intended for commercial applications only. Garland / U.S. Range will not provide service, warranty, maintenance or support of any kind other than in commercial applications.

SERIES	HEIGHT	WIDTH					DEPTH	GAS INLET
RGTA	16 3/4" (425mm)	RGTA-2424-1	RGTA-2436-1	RGTA-2448-1	RGTA-2460-1	RGTA-2472-1	28" (711mm)	3/4" N PT
		24" (610mm)	36" (914mm)	48" (1219mm)	60" (1524mm)	72" (1829mm)		
RGM	13 3/4" (349mm)	RGM-2424-1	RGM-2436-1	RGM-2448-1	RGM-2460-1	RGM-2472-1		
		24" (610mm)	36" (914mm)	48" (1219mm)	60" (1524mm)	72" (1829mm)		

CLEARANCES				OPERATING PRESSURE			
INSTALLATION		ENTRY		NATURAL GAS		PROPANE	
to Non Combustible	to Combustible	Crated	Uncrated	"WC	MBar	"WC	Mbar
6" (152mm)	16" (915mm)	29" (737mm)	14" (356mm)	5	12.5	10	25

Form# RGTA/RGM (06/07)

Garland Commercial Industries, LLC
 185 East South Street
 Freeland, PA 18224
 Phone: (570) 636-1000
 Fax: (570) 636-3903

Garland Commercial Ranges Ltd
 1177 Kamato Road,
 Mississauga, Ontario
 L4W 1X4 CANADA
 Phone: 905-624-0260
 Fax: 905-624-5669

Enodis UK LTD
 Swallowfield Way,
 Hayes, Middlesex
 UB3 1DQ ENGLAND
 Telephone: 081-561-0433
 Fax: 081-848-0041

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>